

| <b>fiberdata</b>     |  | <b>Priser VERVA, Transition</b>         |                     |            |                  |
|----------------------|--|---|---------------------|------------|------------------|
|                      |  | Prislista - gäller från 2008-11-18      |                     |            |                  |
|                      |  | Valutakursen beräknad på 1 USD = 8 SEK. |                     |            |                  |
| <b>Artikelnummer</b> | <b>Benämning</b>   | <b>Listpris</b>                         | <b>Rbt-<br/>typ</b> | <b>Rbt</b> | <b>Nettopris</b> |
|                      | <b>Point System Chassis</b>  |   |                     |            |                  |
| CPSMC0100-200        | 1-slot Point System™ Chassis with external power supply (Not for use with C4TEF, CAPTF, CBFTF-120, CBFTF-140, CCSCF, CEMTF, CGETF, CGFEB, CPSVT, CMEFG or CSDTF slide-in-modules.) [Class B-compliant only when using Class B-compliant media converters.] | 646,00                                  | A                   | 10%        | 582,00           |
| CPSMC0100-205        | 1-slot Point System™ Chassis with external power supply (Not for use with C4TEF, CAPTF, CBFTF-120, CBFTF-140, CEMTF, CGFEB or CMEFG slide-in-modules.) [Class B-compliant only when using Class B-compliant media converters.]                             | 646,00                                  | A                   | 10%        | 582,00           |
| CPSMC0100-210        | 2-slot Point System™ Chassis with Last Gasp option [Class B-compliant only when using Class B-compliant media converters.]   | 1 220,00                                | A                   | 10%        | 1 100,00         |
| CPSMC0200-200        | 2-Slot Point System™ Chassis [Class B-compliant only when using Class B-compliant media converters.]   | 1 790,00                                | A                   | 10%        | 1 620,00         |
| CPSMC0200-210        | 2-Slot Point System™ Chassis with Last Gasp option [Class B-compliant only when using Class B-compliant media converters.]   | 2 350,00                                | A                   | 10%        | 2 120,00         |
| CPSMC0800-100        | 8-slot Point System™ Chassis   | 4 230,00                                | A                   | 10%        | 3 810,00         |
| CPSMC0810-100        | 8-slot Point System™ Chassis with -48V power supply  | 7 270,00                                | A                   | 10%        | 6 550,00         |
| CPSMC1300-100        | 13-slot Point System™ Chassis  | 4 570,00                                | A                   | 10%        | 4 120,00         |
| CPSMC1310-100        | 13-slot Point System™ Chassis with -48V power supply   | 7 490,00                                | A                   | 10%        | 6 750,00         |
| CPSMC1320-100        | 13-slot Point System™ Chassis with 24VDC power supply  | 7 490,00                                | A                   | 10%        | 6 750,00         |
| CPSMC1320-110        | 13-slot Point System Chassis with 24VDC power supply   | 8 230,00                                | A                   | 10%        | 7 410,00         |
| CPSMC1800-200        | 18-slot Point System™ Chassis [Class B-compliant only when using Class B-compliant media converters.]  | 5 660,00                                | A                   | 10%        | 5 100,00         |
| CPSMC1810-200        | 18-slot Point System™ Chassis with -48V power supply [Class B-compliant only when using Class B-compliant media converters.]   | 8 400,00                                | A                   | 10%        | 7 560,00         |
| CPSMC1850-150        | 18-slot Point System™ Chassis with (2) telco connectors  | 6 360,00                                | A                   | 10%        | 5 730,00         |
| CPSMC1900-100        | 19-slot Point System™ Chassis  | 4 840,00                                | A                   | 10%        | 4 360,00         |

| <b>fiberdata</b>                               |   |          |         |     |           |
|--|---|----------|---------|-----|-----------|
| <b>Priser VERVA, Transition</b>                |   |          |         |     |           |
| Prislista - gäller från 2008-11-18             |   |          |         |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK.        |   |          |         |     |           |
| Artikelnummer                                  | Benämning   | Listpris | Rbt-typ | Rbt | Nettopris |
| CPSMC1910-100                                  | 19-slot Point System™ Chassis with -48V power supply  | 7 790,00 | A       | 10% | 7 020,00  |
| <b>Point System Chassis Management Modules</b> |   |          |         |     |           |
| CPSMM-120                                      | Single Slot Master Management Module Can be used with the 19, 18, 13, 8 or 2-Slot Point System™ Chassis.  | 3 440,00 | A       | 10% | 3 100,00  |
| CPSMM-200                                      | Dual Slot Master Management Module [Class B] Used in base chassis when stacking multiple Point System™ Chassis. Can be used with the 19, 18, 13 or 8-Slot Point System™ Chassis.              | 4 570,00 | A       | 10% | 4 120,00  |
| CPSMM-210                                      | Single Slot Expansion Management Module [Class B] Used in expansion chassis when stacking multiple Point System™ Chassis. Can be used with the 19, 18, 13, 8 or 2-Slot Point System™ Chassis. | 2 400,00 | A       | 10% | 2 160,00  |
| <b>Point System™ Chassis Power Supplies</b>    |   |          |         |     |           |
| CPSMP-120                                      | Redundant 120/240 VAC; used with the CPSMC13x0-100  | 3 050,00 | A       | 10% | 2 750,00  |
| CPSMP-130                                      | Redundant -48V; used with the CPSMC13x0-100   | 4 620,00 | A       | 10% | 4 160,00  |
| CPSMP-140                                      | Redundant 24VDC power supply; used with the CPSMC13x0-100   | 4 620,00 | A       | 10% | 4 160,00  |
| CPSMP-180                                      | Redundant 120/240 VAC; used with the CPSMC08x0-100  | 1 090,00 | A       | 10% | 981,00    |
| CPSMP-190                                      | Redundant -48V; used with the CPSMC08x0-100   | 4 310,00 | A       | 10% | 3 880,00  |
| CPSMP-200                                      | Redundant 120/240 VAC [Class B] Used with the 19 or 18-slot Point System™ Chassis.  | 3 570,00 | A       | 10% | 3 220,00  |
| CPSMP-210                                      | Redundant -48V [Class B] Used with the 19 or 18-slot Point System™ Chassis.   | 5 970,00 | A       | 10% | 5 380,00  |
| CPSMP-220                                      | Redundant 24VDC Power Supply for CPSMC1320-110  | 5 970,00 | A       | 10% | 5 380,00  |
| <b>Point System™ Chassis Accessories</b>       |   |          |         |     |           |
| 21HC21-6                                       | RJ-21 to RJ-21 telco cable (6 foot); used with CPSMC1850-150  | 827,00   | A       | 10% | 745,00    |
| 21HC45-6                                       | RJ-21 to RJ-45 telco cable (6 foot); used with CPSMC1850-150  | 1 010,00 | A       | 10% | 909,00    |
| CPSFM-200                                      | Fan Module for the 19 or 18-slot Point System™ Chassis  | 1 350,00 | A       | 10% | 1 220,00  |
| CPSFP-200                                      | Face Plate (required for all empty slots)   | 30,10    | A       | 10% | 27,10     |

| <b>fiberdata</b>                        |  |          |         |     |           |
|---|--|----------|---------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |  |          |         |     |           |
| Prislista - gäller från 2008-11-18      |  |          |         |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |  |          |         |     |           |
| Artikelnummer                           | Benämning  | Listpris | Rbt-typ | Rbt | Nettopris |
| CPSLD-100                               | LED power status panel for the 19 or 8-slot Point System™ Chassis  | 784,00   | A       | 10% | 706,00    |
| CPSRE-230                               | 23 inch rack mount ears (1 set); used with the 19, 18, 13 or 8-slot Point System™ Chassis  | 235,00   | A       | 10% | 212,00    |
| CPSRE-238                               | 23 inch rack mount ears (1 set); used with the 8-slot Point System™ Chassis  | 235,00   | A       | 10% | 212,00    |
| CPSRE1-190                              | 19" rack mount ears for CPSMC0100-210  | 235,00   | A       | 10% | 212,00    |
| CPSRE2-190                              | 19" rack mount ears for CPSMC0200-2x0  | 235,00   | A       | 10% | 212,00    |
|   | Optical Line Converter   |          |         |     |           |
| CFMFF4040-100                           | Optical Line Converter SFP slot (empty) to SFP slot (empty)  | 6 140,00 | A       | 10% | 5 530,00  |
|   | <b>Ethernet Point System Slide-In-Module Media Converters</b>  |          |         |     |           |
| CETCT1020-100                           | Ethernet Point System™ Slide-In-Module Media Converters 10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE2 (BNC) [185 m/607 ft.]                        | 2 050,00 | A       | 10% | 1 850,00  |
| CETTF1011-105                           | Ethernet Point System™ Slide-In-Module Media Converters 10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE-FL 850nm multimode (ST) [2 km/1.2 miles]      | 1 480,00 | A       | 10% | 1 340,00  |
| CETTF1012-105                           | Ethernet Point System™ Slide-In-Module Media Converters 10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE-FL 1310nm single mode (ST) [20 km/12.4 miles] | 3 980,00 | A       | 10% | 3 590,00  |
| CETTF1013-105                           | Ethernet Point System™ Slide-In-Module Media Converters 10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE-FL 850nm multimode (SC) [2 km/1.2 miles]      | 1 510,00 | A       | 10% | 1 360,00  |
| CETTF1014-105                           | Ethernet Point System™ Slide-In-Module Media Converters 10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE-FL 1310nm single mode (SC) [20 km/12.4 miles] | 5 200,00 | A       | 10% | 4 680,00  |

| <b>fiberdata</b>                        |  |          |             |     |           |
|---|--|----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |  |          |             |     |           |
| Prislista - gäller från 2008-11-18      |  |          |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |  |          |             |     |           |
| Artikelnummer                           | Benämning  | Listpris | Rbt-<br>typ | Rbt | Nettopris |
| CETTF1015-105                           | Ethernet Point System™ Slide-In-Module Media Converters<br>10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE-FL 1310nm single<br>mode (SC) [40 km/24.9 miles]                   | 6 050,00 | A           | 10% | 5 450,00  |
| CETTF1018-105                           | Ethernet Point System™ Slide-In-Module Media Converters<br>10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE-FL 850nm<br>multimode (MT-RJ) [2 km/1.2 miles]                     | 1 780,00 | A           | 10% | 1 610,00  |
| CETTF1022-105                           | Ethernet Point System™ Slide-In-Module Media Converters<br>10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE-FL 1310nm single<br>mode (ST) [40 km/24.9 miles]                   | 5 240,00 | A           | 10% | 4 720,00  |
| CETTF1027-105                           | Ethernet Point System™ Slide-In-Module Media Converters<br>10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE-FL 1300nm<br>multimode (ST) [5 km/3.1 miles]                       | 5 190,00 | A           | 10% | 4 680,00  |
| CETTF1029-105                           | Ethernet Point System™ Slide-In-Module Media Converters<br>10BASE-T (RJ-45) [100 m/328 ft.] to 1310nm TX / 1550nm RX<br>single fiber single mode (SC) [20 km/12.4 miles] | 7 530,00 | A           | 10% | 6 780,00  |
| CETTF1029-106                           | Ethernet Point System™ Slide-In-Module Media Converters<br>10BASE-T (RJ-45) [100 m/328 ft.] to 1550nm TX / 1310nm RX<br>single fiber single mode (SC) [20 km/12.4 miles] | 7 970,00 | A           | 10% | 7 180,00  |
| CETTF1011-200                           | Ethernet Point System™ Slide-In-Module Media Converters [Class<br>B] 10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE-FL 850nm<br>multimode (ST) [2 km/1.2 miles]              | 1 920,00 | A           | 10% | 1 730,00  |
| CETTF1012-200                           | Ethernet Point System™ Slide-In-Module Media Converters [Class<br>B] 10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE-FL 1310nm<br>single mode (ST) [20 km/12.4 miles]         | 4 570,00 | A           | 10% | 4 120,00  |
| CETTF1013-200                           | Ethernet Point System™ Slide-In-Module Media Converters [Class<br>B] 10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE-FL 850nm<br>multimode (SC) [2 km/1.2 miles]              | 1 920,00 | A           | 10% | 1 730,00  |

| <b>fiberdata</b>                        |   |          |             |     |           |
|---|---|----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |   |          |             |     |           |
| Prislista - gäller från 2008-11-18      |   |          |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |   |          |             |     |           |
| Artikelnummer                           | Benämning   | Listpris | Rbt-<br>typ | Rbt | Nettopris |
| CETTF1014-200                           | Ethernet Point System™ Slide-In-Module Media Converters [Class B] 10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE-FL 1310nm single mode (SC) [20 km/12.4 miles]                                    | 5 440,00 | A           | 10% | 4 900,00  |
| CETTF1022-200                           | Ethernet Point System™ Slide-In-Module Media Converters [Class B] 10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE-FL 1310nm single mode (ST) [40 km/24.9 miles]                                    | 6 530,00 | A           | 10% | 5 880,00  |
| CETTF1027-200                           | Ethernet Point System™ Slide-In-Module Media Converters [Class B] 10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE-FL 1300nm multimode (ST) [5 km/3.1 miles]  | 6 530,00 | A           | 10% | 5 880,00  |
|   | <b>Ethernet or Fast Ethernet Point System™ Slide-In Module Converters</b>   |          |             |     |           |
| CSEFE1012-100                           | Ethernet or Fast Ethernet Point System™ Slide-In-Module Media Converters 10BASE-T or 100BASE-TX (RJ-45) [100 m/328 ft.] to 10BASE-FL or 100BASE-FX 1310nm single mode (ST) [20 km/12.4 miles] | 5 140,00 | A           | 10% | 4 630,00  |
| CSEFE1014-100                           | Ethernet or Fast Ethernet Point System™ Slide-In-Module Media Converters 10BASE-T or 100BASE-TX (RJ-45) [100 m/328 ft.] to 10BASE-FL or 100BASE-FX 1310nm single mode (SC) [20 km/12.4 miles] | 5 140,00 | A           | 10% | 4 630,00  |
| CSEFE1015-100                           | Ethernet or Fast Ethernet Point System™ Slide-In-Module Media Converters 10BASE-T or 100BASE-TX (RJ-45) [100 m/328 ft.] to 10BASE-FL or 100BASE-FX 1310nm single mode (SC) [40 km/24.9 miles] | 7 360,00 | A           | 10% | 6 630,00  |
| CSEFE1022-100                           | Ethernet or Fast Ethernet Point System™ Slide-In-Module Media Converters 10BASE-T or 100BASE-TX (RJ-45) [100 m/328 ft.] to 10BASE-FL or 100BASE-FX 1310nm single mode (ST) [40 km/24.9 miles] | 7 360,00 | A           | 10% | 6 630,00  |

| <b>fiberdata</b>   |   |           |             |     |           |
|--|---|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>                                    |   |           |             |     |           |
| Prislista - gäller från 2008-11-18                                 |   |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK.                            |   |           |             |     |           |
| Artikelnummer  | Benämning   | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| CSEFE1029-100  | Ethernet or Fast Ethernet Point System™ Slide-In-Module Media Converters 10BASE-T or 100BASE-TX (RJ-45) [100 m/328 ft.] to 10BASE-FL or 100BASE-FX 1310nm TX / 1550nm RX single fiber single mode (SC) [20 km/12.4 miles] | 7 790,00  | A           | 10% | 7 020,00  |
| CSEFE1029-101  | Ethernet or Fast Ethernet Point System™ Slide-In-Module Media Converters 10BASE-T or 100BASE-TX (RJ-45) [100 m/328 ft.] to 10BASE-FL or 100BASE-FX 1550nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles] | 7 790,00  | A           | 10% | 7 020,00  |
| <b>Fast Ethernet Point System Slide-In-Module Media Converters</b> |   |           |             |     |           |
| CFETF1011-105  | Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm multimode (ST) [2 km/1.2 miles]  | 2 570,00  | A           | 10% | 2 320,00  |
| CFETF1013-105  | Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm multimode (SC) [2 km/1.2 miles]  | 2 570,00  | A           | 10% | 2 320,00  |
| CFETF1014-105  | Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm single mode (SC) [20 km/12.4 miles]  | 5 180,00  | A           | 10% | 4 670,00  |
| CFETF1015-105  | Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm single mode (SC) [40 km/24.9 miles]  | 8 660,00  | A           | 10% | 7 800,00  |
| CFETF1016-105  | Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm single mode (SC) [60 km/37.3 miles]  | 12 150,00 | A           | 10% | 10 940,00 |
| CFETF1017-105  | Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1550nm single mode (SC) [80 km/49.7 miles]  | 19 980,00 | A           | 10% | 17 990,00 |

| <b>fiberdata</b> |  | <b>Priser VERVA, Transition</b>         |             |     |           |
|------------------|--|---|-------------|-----|-----------|
|                  |  | Prislista - gäller från 2008-11-18      |             |     |           |
|                  |  | Valutakursen beräknad på 1 USD = 8 SEK. |             |     |           |
| Artikelnummer    | Benämning  | Listpris                                | Rbt-<br>typ | Rbt | Nettopris |
|                  | <b>Fast Ethernet Point System Slide-In-Module Media Converters</b>   |   |             |     |           |
| CFETF1011-205    | Fast Ethernet Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm multimode (ST) [2 km/1.2 miles]                                 | 2 880,00                                | A           | 10% | 2 600,00  |
| CFETF1013-205    | Fast Ethernet Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm multimode (SC) [2 km/1.2 miles]                                 | 2 880,00                                | A           | 10% | 2 600,00  |
| CFETF1014-205    | Fast Ethernet Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm single mode (SC) [20 km/12.4 miles]                             | 5 710,00                                | A           | 10% | 5 140,00  |
| CFETF1015-205    | Fast Ethernet Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm single mode (SC) [40 km/24.9 miles]                             | 10 060,00                               | A           | 10% | 9 060,00  |
| CFETF1016-205    | Fast Ethernet Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm single mode (SC) [60 km/37.3 miles]                             | 12 230,00                               | A           | 10% | 11 010,00 |
| CFETF1017-205    | Fast Ethernet Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1550nm single mode (SC) [80 km/49.7 miles]                             | 20 940,00                               | A           | 10% | 18 850,00 |
| CFETF1018-205    | Fast Ethernet Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm multimode (MT-RJ) [2 km/1.2 miles]                              | 2 880,00                                | A           | 10% | 2 600,00  |
| CFETF1029-205    | Fast Ethernet Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm TX / 1550nm RX single fiber single mode (SC) [20 km/12.4 miles] | 8 490,00                                | A           | 10% | 7 650,00  |

| <b>fiberdata</b>                        |  |           |             |     |           |
|---|--|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |  |           |             |     |           |
| Prislista - gäller från 2008-11-18      |  |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |  |           |             |     |           |
| Artikelnummer                           | Benämning  | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| CFETF1029-206                           | Fast Ethernet Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1550nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles] | 9 230,00  | A           | 10% | 8 310,00  |
| CFETF1029-207                           | Fast Ethernet Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm TX / 1550nm RX single fiber single mode (SC) [40 km/24.9 miles] | 11 450,00 | A           | 10% | 10 310,00 |
| CFETF1029-208                           | Fast Ethernet Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1550nm TX / 1310nm RX single fiber single mode (SC) [40 km/24.9 miles] | 14 540,00 | A           | 10% | 13 090,00 |
| CFETF1029-209                           | Fast Ethernet Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm TX / 1550nm RX single fiber single mode (SC) [60 km/37.3 miles] | 18 410,00 | A           | 10% | 16 570,00 |
| CFETF1029-210                           | Fast Ethernet Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1550nm TX / 1310nm RX single fiber single mode (SC) [60 km/37.3 miles] | 18 410,00 | A           | 10% | 16 570,00 |
| CFETF1029-211                           | Fast Ethernet Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm TX / 1550nm RX single fiber single mode (SC) [80 km/49.7 miles] | 21 330,00 | A           | 10% | 19 200,00 |
| CFETF1029-212                           | Fast Ethernet Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1550nm TX / 1310nm RX single fiber single mode (SC) [80 km/49.7 miles] | 21 720,00 | A           | 10% | 19 550,00 |

| <b>fiberdata</b>                        |  |           |             |     |           |
|---|--|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |  |           |             |     |           |
| Prislista - gäller från 2008-11-18      |  |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |  |           |             |     |           |
| Artikelnummer                           | Benämning  | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| CFETF1039-205                           | Fast Ethernet Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm multimode (LC) [2 km/1.2 miles]   | 3 180,00  | A           | 10% | 2 870,00  |
|   | <b>Fast Ethernet with Remote Management &amp; Bandwidth Allocation Point-System Slide-In Module Media Converters</b>   |           |             |     |           |
| CRMFE1011-200                           | Fast Ethernet with Remote Management & Bandwidth Allocation Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm multimode (ST) [2 km/1.2 miles]     | 4 840,00  | A           | 10% | 4 360,00  |
| CRMFE1013-200                           | Fast Ethernet with Remote Management & Bandwidth Allocation Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm multimode (SC) [2 km/1.2 miles]     | 4 840,00  | A           | 10% | 4 360,00  |
| CRMFE1014-200                           | Fast Ethernet with Remote Management & Bandwidth Allocation Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm single mode (SC) [20 km/12.4 miles] | 7 230,00  | A           | 10% | 6 510,00  |
| CRMFE1015-200                           | Fast Ethernet with Remote Management & Bandwidth Allocation Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm single mode (SC) [40 km/24.9 miles] | 11 450,00 | A           | 10% | 10 310,00 |
| CRMFE1016-200                           | Fast Ethernet with Remote Management & Bandwidth Allocation Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm single mode (SC) [60 km/37.3 miles] | 20 540,00 | A           | 10% | 18 490,00 |

| <b>fiberdata</b>                        |  |           |             |     |           |
|---|--|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |  |           |             |     |           |
| Prislista - gäller från 2008-11-18      |  |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |  |           |             |     |           |
| Artikelnummer                           | Benämning  | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| CRMFE1017-200                           | Fast Ethernet with Remote Management & Bandwidth Allocation Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1550nm single mode (SC) [80 km/49.7 miles]                             | 27 510,00 | A           | 10% | 24 760,00 |
| CRMFE1018-200                           | Fast Ethernet with Remote Management & Bandwidth Allocation Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm multimode (MT-RJ) [2 km/1.2 miles]                              | 4 840,00  | A           | 10% | 4 360,00  |
| CRMFE1029-200                           | Fast Ethernet with Remote Management & Bandwidth Allocation Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm TX / 1550nm RX single fiber single mode (SC) [20 km/12.4 miles] | 8 490,00  | A           | 10% | 7 650,00  |
| CRMFE1029-201                           | Fast Ethernet with Remote Management & Bandwidth Allocation Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1550nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles] | 8 880,00  | A           | 10% | 8 000,00  |
| CRMFE1029-202                           | Fast Ethernet with Remote Management & Bandwidth Allocation Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm TX / 1550nm RX single fiber single mode (SC) [40 km/24.9 miles] | 9 750,00  | A           | 10% | 8 780,00  |
| CRMFE1029-203                           | Fast Ethernet with Remote Management & Bandwidth Allocation Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1550nm TX / 1310nm RX single fiber single mode (SC) [40 km/24.9 miles] | 11 490,00 | A           | 10% | 10 350,00 |
| CRMFE1029-206                           | Fast Ethernet with Remote Management & Bandwidth Allocation Point System™ Slide-In-Module Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm TX / 1550nm RX single fiber single mode (SC) [80 km/49.7 miles] | 8 880,00  | A           | 10% | 8 000,00  |

| <b>fiberdata</b> |  | <b>Priser VERVA, Transition</b>         |             |     |           |
|------------------|--|---|-------------|-----|-----------|
|                  |  | Prislista - gäller från 2008-11-18      |             |     |           |
|                  |  | Valutakursen beräknad på 1 USD = 8 SEK. |             |     |           |
| Artikelnummer    | Benämning  | Listpris                                | Rbt-<br>typ | Rbt | Nettopris |
|                  | <b>Fast Ethernet Point System Slide-In-Module Media Converters</b>   |   |             |     |           |
| CDFTF1111-100    | Dual Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-FX 1300nm multimode (ST) [2 km/1.2 miles] to 100BASE-FX 1300nm multimode (ST) [2 km/1.2 miles]   | 4 230,00                                | A           | 10% | 3 810,00  |
| CDFTF1313-100    | Dual Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-FX 1300nm multimode (SC) [2 km/1.2 miles] to 100BASE-FX 1300nm multimode (SC) [2 km/1.2 miles]   | 4 230,00                                | A           | 10% | 3 810,00  |
| CDFTF1414-100    | Dual Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-FX 1310nm single mode (SC) [20 km/12.4 miles] to 100BASE-FX 1310nm single mode (SC) [20 km/12.4 miles]   | 8 400,00                                | A           | 10% | 7 560,00  |
| CDFTF1515-100    | Dual Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-FX 1310nm single mode (SC) [40 km/24.9 miles] to 100BASE-FX 1310nm single mode (SC) [40 km/24.9 miles]   | 17 370,00                               | A           | 10% | 15 640,00 |
| CDFTF1616-100    | Dual Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-FX 1310nm single mode (SC) [60 km/37.3 miles] to 100BASE-FX 1310nm single mode (SC) [60 km/37.3 miles]   | 22 150,00                               | A           | 10% | 19 940,00 |
| CDFTF1717-100    | Dual Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-FX 1310nm single mode (SC) [80 km/49.7 miles] to 100BASE-FX 1310nm single mode (SC) [80 km/49.7 miles]   | 34 030,00                               | A           | 10% | 30 630,00 |
| CDFTF2929-100    | Dual Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-FX 1310nm TX / 1550nm RX single fiber single mode (SC) [20 km/12.4 miles] to 100BASE-FX 1310nm TX / 1550nm RX single fiber single mode (SC) [20 km/12.4 miles] | 10 930,00                               | A           | 10% | 9 840,00  |

| <b>fiberdata</b>                        |  |           |             |     |           |
|---|--|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |  |           |             |     |           |
| Prislista - gäller från 2008-11-18      |  |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |  |           |             |     |           |
| Artikelnummer                           | Benämning  | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| CDFTF2929-101                           | Dual Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-FX 1550nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles] to 100BASE-FX 1550nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles] | 11 800,00 | A           | 10% | 10 620,00 |
| CDFTF2929-102                           | Dual Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-FX 1310nm TX / 1550nm RX single fiber single mode (SC) [40 km/24.9 miles] to 100BASE-FX 1310nm TX / 1550nm RX single fiber single mode (SC) [40 km/24.9 miles] | 13 020,00 | A           | 10% | 11 720,00 |
| CDFTF2929-103                           | Dual Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-FX 1550nm TX / 1310nm RX single fiber single mode (SC) [40 km/24.9 miles] to 100BASE-FX 1550nm TX / 1310nm RX single fiber single mode (SC) [40 km/24.9 miles] | 14 360,00 | A           | 10% | 12 930,00 |
|   | <b>Dual Fast Ethernet Point System Slide-In-Module Media Converters</b>  |           |             |     |           |
| CDFTF1111-100                           | Dual Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-FX 1300nm multimode (ST) [2 km/1.2 miles] to 100BASE-FX 1300nm multimode (ST) [2 km/1.2 miles]   | 4 230,00  | A           | 10% | 3 810,00  |
| CDFTF1313-100                           | Dual Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-FX 1300nm multimode (SC) [2 km/1.2 miles] to 100BASE-FX 1300nm multimode (SC) [2 km/1.2 miles]   | 4 230,00  | A           | 10% | 3 810,00  |
| CDFTF1414-100                           | Dual Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-FX 1310nm single mode (SC) [20 km/12.4 miles] to 100BASE-FX 1310nm single mode (SC) [20 km/12.4 miles]   | 8 400,00  | A           | 10% | 7 560,00  |
| CDFTF1515-100                           | Dual Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-FX 1310nm single mode (SC) [40 km/24.9 miles] to 100BASE-FX 1310nm single mode (SC) [40 km/24.9 miles]   | 17 370,00 | A           | 10% | 15 640,00 |

| <b>fiberdata</b>   |  |           |             |     |           |
|--|--|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>  |  |           |             |     |           |
| Prislista - gäller från 2008-11-18   |  |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK.                                    |  |           |             |     |           |
| Artikelnummer  | Benämning  | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| CDFTF1616-100  | Dual Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-FX 1310nm single mode (SC) [60 km/37.3 miles] to 100BASE-FX 1310nm single mode (SC) [60 km/37.3 miles]   | 22 150,00 | A           | 10% | 19 940,00 |
| CDFTF1717-100  | Dual Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-FX 1310nm single mode (SC) [80 km/49.7 miles] to 100BASE-FX 1310nm single mode (SC) [80 km/49.7 miles]   | 34 030,00 | A           | 10% | 30 630,00 |
| CDFTF2929-100  | Dual Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-FX 1310nm TX / 1550nm RX single fiber single mode (SC) [20 km/12.4 miles] to 100BASE-FX 1310nm TX / 1550nm RX single fiber single mode (SC) [20 km/12.4 miles] | 10 930,00 | A           | 10% | 9 840,00  |
| CDFTF2929-101  | Dual Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-FX 1550nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles] to 100BASE-FX 1550nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles] | 11 800,00 | A           | 10% | 10 620,00 |
| CDFTF2929-102  | Dual Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-FX 1310nm TX / 1550nm RX single fiber single mode (SC) [40 km/24.9 miles] to 100BASE-FX 1310nm TX / 1550nm RX single fiber single mode (SC) [40 km/24.9 miles] | 13 020,00 | A           | 10% | 11 720,00 |
| CDFTF2929-103  | Dual Fast Ethernet Point System™ Slide-In-Module Media Converters 100BASE-FX 1550nm TX / 1310nm RX single fiber single mode (SC) [40 km/24.9 miles] to 100BASE-FX 1550nm TX / 1310nm RX single fiber single mode (SC) [40 km/24.9 miles] | 14 360,00 | A           | 10% | 12 930,00 |
| <b>Fast Ethernet or ATM / SONET Point System Slide-In Media Converters</b> |  |           |             |     |           |

| <b>fiberdata</b>                        |  |           |             |     |           |
|---|--|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |  |           |             |     |           |
| Prislista - gäller från 2008-11-18      |  |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |  |           |             |     |           |
| Artikelnummer                           | Benämning  | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| CFMFF1313-200                           | Fast Ethernet or ATM / SONET Point System™ Slide-In-Module Media Converters 1300nm multimode (SC) [2 km/1.2 miles] to 1300nm multimode (SC) [2 km/1.2 miles]                                 | 6 660,00  | A           | 10% | 6 000,00  |
| CFMFF1314-200                           | Fast Ethernet or ATM / SONET Point System™ Slide-In-Module Media Converters 1300nm multimode (SC) [2 km/1.2 miles] to 1310nm single mode (SC) [20 km/12.4 miles]                             | 7 880,00  | A           | 10% | 7 100,00  |
| CFMFF1315-200                           | Fast Ethernet or ATM / SONET Point System™ Slide-In-Module Media Converters 1300nm multimode (SC) [2 km/1.2 miles] to 1310nm single mode (SC) [40 km/24.9 miles]                             | 10 060,00 | A           | 10% | 9 060,00  |
| CFMFF1316-200                           | Fast Ethernet or ATM / SONET Point System™ Slide-In-Module Media Converters 1300nm multimode (SC) [2 km/1.2 miles] to 1310nm single mode (SC) [60 km/37.3 miles]                             | 17 020,00 | A           | 10% | 15 320,00 |
| CFMFF1317-200                           | Fast Ethernet or ATM / SONET Point System™ Slide-In-Module Media Converters 1300nm multimode (SC) [2 km/1.2 miles] to 1550nm single mode (SC) [80 km/49.7 miles]                             | 19 980,00 | A           | 10% | 17 990,00 |
| CFMFF1329-200                           | Fast Ethernet or ATM / SONET Point System™ Slide-In-Module Media Converters 1300nm multimode (SC) [2 km/1.2 miles] to 1310nm TX / 1550nm RX single fiber single mode (SC) [20 km/12.4 miles] | 13 710,00 | A           | 10% | 12 340,00 |
| CFMFF1329-201                           | Fast Ethernet or ATM / SONET Point System™ Slide-In-Module Media Converters 1300nm multimode (SC) [2 km/1.2 miles] to 1550nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles] | 14 360,00 | A           | 10% | 12 930,00 |
| CFMFF1329-202                           | Fast Ethernet or ATM / SONET Point System™ Slide-In-Module Media Converters 1300nm multimode (SC) [2 km/1.2 miles] to 1310nm TX / 1550nm RX single fiber single mode (SC) [40 km/24.9 miles] | 15 540,00 | A           | 10% | 13 990,00 |

| <b>fiberdata</b>                        |  |           |             |     |           |
|---|--|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |  |           |             |     |           |
| Prislista - gäller från 2008-11-18      |  |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |  |           |             |     |           |
| Artikelnummer                           | Benämning  | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| CFMFF1329-203                           | Fast Ethernet or ATM / SONET Point System™ Slide-In-Module Media Converters 1300nm multimode (SC) [2 km/1.2 miles] to 1550nm TX / 1310nm RX single fiber single mode (SC) [40 km/24.9 miles]     | 17 980,00 | A           | 10% | 16 190,00 |
| CFMFF1414-200                           | Fast Ethernet or ATM / SONET Point System™ Slide-In-Module Media Converters 1310nm single mode (SC) [20 km/12.4 miles] to 1310nm single mode (SC) [20 km/12.4 miles]                             | 9 140,00  | A           | 10% | 8 230,00  |
| CFMFF1415-200                           | Fast Ethernet or ATM / SONET Point System™ Slide-In-Module Media Converters 1310nm single mode (SC) [20 km/12.4 miles] to 1310nm single mode (SC) [40 km/24.9 miles]                             | 11 190,00 | A           | 10% | 10 080,00 |
| CFMFF1429-200                           | Fast Ethernet or ATM / SONET Point System™ Slide-In-Module Media Converters 1310nm single mode (SC) [20 km/12.4 miles] to 1310nm TX / 1550nm RX single fiber single mode (SC) [20 km/12.4 miles] | 15 370,00 | A           | 10% | 13 840,00 |
| CFMFF1429-201                           | Fast Ethernet or ATM / SONET Point System™ Slide-In-Module Media Converters 1310nm single mode (SC) [20 km/12.4 miles] to 1550nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles] | 15 970,00 | A           | 10% | 14 380,00 |
| CFMFF1429-202                           | Fast Ethernet or ATM / SONET Point System™ Slide-In-Module Media Converters 1310nm single mode (SC) [20 km/12.4 miles] to 1310nm TX / 1550nm RX single fiber single mode (SC) [40 km/24.9 miles] | 17 190,00 | A           | 10% | 15 480,00 |
| CFMFF1429-203                           | Fast Ethernet or ATM / SONET Point System™ Slide-In-Module Media Converters 1310nm single mode (SC) [20 km/12.4 miles] to 1550nm TX / 1310nm RX single fiber single mode (SC) [40 km/24.9 miles] | 19 590,00 | A           | 10% | 17 640,00 |
|   | <b>10/100 Bridging Point System Slide-In-Module Media Converter</b>  |           |             |     |           |

| <b>fiberdata</b>                        |   |          |             |     |           |
|---|---|----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |   |          |             |     |           |
| Prislista - gäller från 2008-11-18      |   |          |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |   |          |             |     |           |
| Artikelnummer                           | Benämning   | Listpris | Rbt-<br>typ | Rbt | Nettopris |
| CBFTF1011-100                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(1) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1300nm multimode (ST) [2 km/1.2 miles]     | 3 660,00 | A           | 10% | 3 300,00  |
| CBFTF1011-110                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(2) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1300nm multimode (ST) [2 km/1.2 miles]     | 3 830,00 | A           | 10% | 3 450,00  |
| CBFTF1011-120                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(5) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1300nm multimode (ST) [2 km/1.2 miles]     | 4 970,00 | A           | 10% | 4 480,00  |
| CBFTF1011-140                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(4) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (2) 100BASE-FX<br>1300nm multimode (ST) [2 km/1.2 miles]     | 8 580,00 | A           | 10% | 7 730,00  |
| CBFTF1013-100                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(1) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1300nm multimode (SC) [2 km/1.2 miles]     | 3 660,00 | A           | 10% | 3 300,00  |
| CBFTF1013-110                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(2) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1300nm multimode (SC) [2 km/1.2 miles]     | 3 830,00 | A           | 10% | 3 450,00  |
| CBFTF1013-120                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(5) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1300nm multimode (SC) [2 km/1.2 miles]     | 4 970,00 | A           | 10% | 4 480,00  |
| CBFTF1013-140                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(4) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (2) 100BASE-FX<br>1300nm multimode (SC) [2 km/1.2 miles]     | 8 580,00 | A           | 10% | 7 730,00  |
| CBFTF1014-100                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(1) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1310nm single mode (SC) [20 km/12.4 miles] | 5 840,00 | A           | 10% | 5 260,00  |

| <b>fiberdata</b>                        |   |           |             |     |           |
|---|---|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |   |           |             |     |           |
| Prislista - gäller från 2008-11-18      |   |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |   |           |             |     |           |
| Artikelnummer                           | Benämning   | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| CBFTF1014-110                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(2) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1310nm single mode (SC) [20 km/12.4 miles] | 6 010,00  | A           | 10% | 5 410,00  |
| CBFTF1014-120                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(5) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1310nm single mode (SC) [20 km/12.4 miles] | 6 400,00  | A           | 10% | 5 760,00  |
| CBFTF1014-140                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(4) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (2) 100BASE-FX<br>1310nm single mode (SC) [20 km/12.4 miles] | 12 800,00 | A           | 10% | 11 520,00 |
| CBFTF1015-100                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(1) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1310nm single mode (SC) [40 km/24.9 miles] | 10 710,00 | A           | 10% | 9 640,00  |
| CBFTF1015-110                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(2) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1310nm single mode (SC) [40 km/24.9 miles] | 10 840,00 | A           | 10% | 9 760,00  |
| CBFTF1015-120                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(5) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1310nm single mode (SC) [40 km/24.9 miles] | 11 010,00 | A           | 10% | 9 910,00  |
| CBFTF1015-140                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(4) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (2) 100BASE-FX<br>1310nm single mode (SC) [40 km/24.9 miles] | 27 850,00 | A           | 10% | 25 070,00 |
| CBFTF1016-100                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(1) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1310nm single mode (SC) [60 km/37.3 miles] | 12 450,00 | A           | 10% | 11 210,00 |
| CBFTF1016-110                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(2) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1310nm single mode (SC) [60 km/37.3 miles] | 12 670,00 | A           | 10% | 11 410,00 |

| <b>fiberdata</b>                        |   |           |         |     |           |
|---|---|-----------|---------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |   |           |         |     |           |
| Prislista - gäller från 2008-11-18      |   |           |         |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |   |           |         |     |           |
| Artikelnummer                           | Benämning   | Listpris  | Rbt-typ | Rbt | Nettopris |
| CBFTF1016-120                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(5) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1310nm single mode (SC) [60 km/37.3 miles] | 13 150,00 | A       | 10% | 11 840,00 |
| CBFTF1016-140                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(4) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (2) 100BASE-FX<br>1310nm single mode (SC) [60 km/37.3 miles] | 38 250,00 | A       | 10% | 34 430,00 |
| CBFTF1017-100                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(1) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1550nm single mode (SC) [80 km/49.7 miles] | 21 240,00 | A       | 10% | 19 120,00 |
| CBFTF1017-110                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(2) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1550nm single mode (SC) [80 km/49.7 miles] | 21 980,00 | A       | 10% | 19 790,00 |
| CBFTF1017-120                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(5) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1550nm single mode (SC) [80 km/49.7 miles] | 23 500,00 | A       | 10% | 21 150,00 |
| CBFTF1017-140                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(4) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (2) 100BASE-FX<br>1550nm single mode (SC) [80 km/49.7 miles] | 60 490,00 | A       | 10% | 54 450,00 |
| CBFTF1018-100                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(1) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1300nm multimode (MT-RJ) [2 km/1.2 miles]  | 4 240,00  | A       | 10% | 3 820,00  |
| CBFTF1018-110                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(2) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1300nm multimode (MT-RJ) [2 km/1.2 miles]  | 4 280,00  | A       | 10% | 3 860,00  |
| CBFTF1018-120                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(5) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1300nm multimode (MT-RJ) [2 km/1.2 miles]  | 5 750,00  | A       | 10% | 5 180,00  |

| <b>fiberdata</b>                        |  |           |             |     |           |
|---|--|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |  |           |             |     |           |
| Prislista - gäller från 2008-11-18      |  |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |  |           |             |     |           |
| Artikelnummer                           | Benämning  | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| CBFTF1018-140                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(4) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (2) 100BASE-FX<br>1300nm multimode (MT-RJ) [2 km/1.2 miles]                                 | 8 580,00  | A           | 10% | 7 730,00  |
| CBFTF1025-100                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(1) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1310nm single mode (MT-RJ) [20 km/12.4 miles]                             | 8 550,00  | A           | 10% | 7 700,00  |
| CBFTF1025-110                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(2) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1310nm single mode (MT-RJ) [20 km/12.4 miles]                             | 8 900,00  | A           | 10% | 8 010,00  |
| CBFTF1025-120                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(5) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1310nm single mode (MT-RJ) [20 km/12.4 miles]                             | 9 880,00  | A           | 10% | 8 900,00  |
| CBFTF1025-140                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(4) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (2) 100BASE-FX<br>1310nm single mode (MT-RJ) [20 km/12.4 miles]                             | 23 020,00 | A           | 10% | 20 720,00 |
| CBFTF1029-100                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(1) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1310nm TX / 1550nm RX single fiber single mode (SC) [20<br>km/12.4 miles] | 8 660,00  | A           | 10% | 7 800,00  |
| CBFTF1029-101                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(1) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1550nm TX / 1310nm RX single fiber single mode (SC) [20<br>km/12.4 miles] | 9 400,00  | A           | 10% | 8 460,00  |
| CBFTF1029-102                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(1) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1310nm TX / 1550nm RX single fiber single mode (SC) [40<br>km/24.9 miles] | 10 270,00 | A           | 10% | 9 250,00  |

| <b>fiberdata</b>                        |  |           |             |     |           |
|---|--|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |  |           |             |     |           |
| Prislista - gäller från 2008-11-18      |  |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |  |           |             |     |           |
| Artikelnummer                           | Benämning  | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| CBFTF1029-103                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(1) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1550nm TX / 1310nm RX single fiber single mode (SC) [40<br>km/24.9 miles] | 12 010,00 | A           | 10% | 10 810,00 |
| CBFTF1029-104                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(1) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1310nm TX / 1550nm RX single fiber single mode (SC) [60<br>km/37.3 miles] | 15 500,00 | A           | 10% | 13 950,00 |
| CBFTF1029-110                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(2) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1310nm TX / 1550nm RX single fiber single mode (SC) [20<br>km/12.4 miles] | 9 140,00  | A           | 10% | 8 230,00  |
| CBFTF1029-111                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(2) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1550nm TX / 1310nm RX single fiber single mode (SC) [20<br>km/12.4 miles] | 9 880,00  | A           | 10% | 8 900,00  |
| CBFTF1029-112                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(2) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1310nm TX / 1550nm RX single fiber single mode (SC) [40<br>km/24.9 miles] | 10 750,00 | A           | 10% | 9 680,00  |
| CBFTF1029-113                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(2) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1550nm TX / 1310nm RX single fiber single mode (SC) [40<br>km/24.9 miles] | 12 490,00 | A           | 10% | 11 250,00 |
| CBFTF1029-120                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(5) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1310nm TX / 1550nm RX single fiber single mode (SC) [20<br>km/12.4 miles] | 9 530,00  | A           | 10% | 8 580,00  |

| <b>fiberdata</b>                        |  |           |             |     |           |
|---|--|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |  |           |             |     |           |
| Prislista - gäller från 2008-11-18      |  |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |  |           |             |     |           |
| Artikelnummer                           | Benämning  | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| CBFTF1029-121                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(5) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1550nm TX / 1310nm RX single fiber single mode (SC) [20<br>km/12.4 miles] | 10 320,00 | A           | 10% | 9 290,00  |
| CBFTF1029-122                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(5) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1310nm TX / 1550nm RX single fiber single mode (SC) [40<br>km/24.9 miles] | 11 280,00 | A           | 10% | 10 160,00 |
| CBFTF1029-123                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(5) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX<br>1550nm TX / 1310nm RX single fiber single mode (SC) [40<br>km/24.9 miles] | 13 020,00 | A           | 10% | 11 720,00 |
| CBFTF1029-140                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(4) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (2) 100BASE-FX<br>1310nm TX / 1550nm RX single fiber single mode (SC) [20<br>km/12.4 miles] | 16 370,00 | A           | 10% | 14 740,00 |
| CBFTF1029-141                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(4) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (2) 100BASE-FX<br>1550nm TX / 1310nm RX single fiber single mode (SC) [20<br>km/12.4 miles] | 16 800,00 | A           | 10% | 15 120,00 |
| CBFTF1029-142                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(4) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (2) 100BASE-FX<br>1310nm TX / 1550nm RX single fiber single mode (SC) [40<br>km/24.9 miles] | 17 670,00 | A           | 10% | 15 910,00 |
| CBFTF1029-143                           | 10/100 Bridging Point System™ Slide-In-Module Media Converters<br>(4) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (2) 100BASE-FX<br>1550nm TX / 1310nm RX single fiber single mode (SC) [40<br>km/24.9 miles] | 19 410,00 | A           | 10% | 17 470,00 |

| <b>fiberdata</b>     | <b>Priser VERVA, Transition</b>   |                 |                     |            |                  |
|----------------------|---|-----------------|---------------------|------------|------------------|
|                      | <b>Prislista - gäller från 2008-11-18</b>   |                 |                     |            |                  |
|                      | <b>Valutakursen beräknad på 1 USD = 8 SEK.</b>  |                 |                     |            |                  |
| <b>Artikelnummer</b> | <b>Benämning</b>  | <b>Listpris</b> | <b>Rbt-<br/>typ</b> | <b>Rbt</b> | <b>Nettopris</b> |
|                      | <b>Value 10/100 Bridging Point System Slide-In-Module Media Converters</b>  |                 |                     |            |                  |
| CBFTF1011-150        | Value 10/100 Bridging Point System™ Slide-In-Module Media Converters (1) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX 1300nm multimode (ST) [2 km/1.2 miles]     | 3 010,00        | A                   | 10%        | 2 710,00         |
| CBFTF1013-150        | Value 10/100 Bridging Point System™ Slide-In-Module Media Converters (1) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX 1300nm multimode (SC) [2 km/1.2 miles]     | 3 010,00        | A                   | 10%        | 2 710,00         |
| CBFTF1014-150        | Value 10/100 Bridging Point System™ Slide-In-Module Media Converters (1) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX 1310nm single mode (SC) [20 km/12.4 miles] | 5 180,00        | A                   | 10%        | 4 670,00         |
| CBFTF1015-155        | Value 10/100 Bridging Point System™ Slide-In-Module Media Converters (1) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX 1310nm single mode (SC) [40 km/24.9 miles] | 9 930,00        | A                   | 10%        | 8 940,00         |
| CBFTF1018-150        | Value 10/100 Bridging Point System™ Slide-In-Module Media Converters (1) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX 1300nm multimode (MT-RJ) [2 km/1.2 miles]  | 3 620,00        | A                   | 10%        | 3 260,00         |
| CBFTF1011-155        | Value 10/100 Bridging Point System™ Slide-In-Module Media Converters (1) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX 1300nm multimode (ST) [2 km/1.2 miles]     | 3 010,00        | A                   | 10%        | 2 710,00         |
| CBFTF1013-155        | Value 10/100 Bridging Point System™ Slide-In-Module Media Converters (1) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX 1300nm multimode (SC) [2 km/1.2 miles]     | 3 010,00        | A                   | 10%        | 2 710,00         |
| CBFTF1014-155        | Value 10/100 Bridging Point System™ Slide-In-Module Media Converters (1) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX 1310nm single mode (SC) [20 km/12.4 miles] | 5 180,00        | A                   | 10%        | 4 670,00         |

| <b>fiberdata</b>  |   |           |             |     |           |
|---|---|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>                           |   |           |             |     |           |
| Prislista - gäller från 2008-11-18                        |   |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK.                   |   |           |             |     |           |
| Artikelnummer   | Benämning   | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| CBFTF1029-155   | Value 10/100 Bridging Point System™ Slide-In-Module Media Converters (1) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX 1310nm TX / 1550nm RX single fiber single mode (SC) [20 km/12.4 miles] | 8 580,00  | A           | 10% | 7 730,00  |
| CBFTF1029-156   | Value 10/100 Bridging Point System™ Slide-In-Module Media Converters (1) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX 1550nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles] | 9 320,00  | A           | 10% | 8 390,00  |
| CBFTF1029-157   | Value 10/100 Bridging Point System™ Slide-In-Module Media Converters (1) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX 1310nm TX / 1550nm RX single fiber single mode (SC) [40 km/24.9 miles] | 10 190,00 | A           | 10% | 9 180,00  |
| CBFTF1029-158   | Value 10/100 Bridging Point System™ Slide-In-Module Media Converters (1) 10/100BASE-TX (RJ-45) [100 m/328 ft.] to (1) 100BASE-FX 1550nm TX / 1310nm RX single fiber single mode (SC) [40 km/24.9 miles] | 11 930,00 | A           | 10% | 10 740,00 |
| <b>10/100 Bridging Point Stand-Alone Media Converters</b> |   |           |             |     |           |
| M/E-PSW-FX-01   | 10/100 Bridging Mini Stand-Alone Media Converter 10/100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm multimode (ST) [2 km/1.2 miles]   | 1 910,00  | A           | 10% | 1 720,00  |
| M/E-PSW-FX-01(SC)   | 10/100 Bridging Mini Stand-Alone Media Converter 10/100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm multimode (SC) [2 km/1.2 miles]   | 1 910,00  | A           | 10% | 1 720,00  |
| M/E-PSW-FX-01(SM)   | 10/100 Bridging Mini Stand-Alone Media Converter 10/100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm single mode (SC) [20 km/12.4 miles]   | 4 520,00  | A           | 10% | 4 070,00  |

| <b>fiberdata</b>  |   |          |         |     |           |
|---|---|----------|---------|-----|-----------|
| <b>Priser VERVA, Transition</b>   |   |          |         |     |           |
| Prislista - gäller från 2008-11-18  |   |          |         |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK.                                   |   |          |         |     |           |
| Artikelnummer   | Benämning   | Listpris | Rbt-typ | Rbt | Nettopris |
| MP/E-PSW-FX-01  | 10/100 Bridging Mini POE enabled Stand-Alone Media Converter 10/100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm multimode (ST) [2 km/1.2 miles]     | 2 830,00 | A       | 10% | 2 550,00  |
| MP/E-PSW-FX-01(SC)  | 10/100 Bridging Mini POE enabled Stand-Alone Media Converter 10/100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm multimode (SC) [2 km/1.2 miles]     | 2 830,00 | A       | 10% | 2 550,00  |
| MP/E-PSW-FX-01(SM)  | 10/100 Bridging Mini POE enabled Stand-Alone Media Converter 10/100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm                                     | 5 970,00 | A       | 10% | 5 380,00  |
| MU/E-PSW-FX-01  | 10/100 Bridging Mini USB powered Stand-Alone Media Converter 10/100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm multimode (ST) [2 km/1.2 miles]     | 2 830,00 | A       | 10% | 2 550,00  |
| MU/E-PSW-FX-01(SC)  | 10/100 Bridging Mini USB powered Stand-Alone Media Converter 10/100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm multimode (SC) [2 km/1.2 miles]     | 2 830,00 | A       | 10% | 2 550,00  |
| MU/E-PSW-FX-01(SM)  | 10/100 Bridging Mini USB powered Stand-Alone Media Converter 10/100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm single mode (SC) [20 km/12.4 miles] | 5 970,00 | A       | 10% | 5 380,00  |
| <b>10/100 Point System™ Slide-In-Module Media Converters</b>              |   |          |         |     |           |
| CSETF1011-205   | 10/100 Point System™ Slide-In-Module Media Converters [Class B] 10/100BASE-TX (RJ-45) [100 m/328 ft.] to 10/100BASE-SX 850nm multimode (ST) [300 m/984 ft.] | 2 140,00 | A       | 10% | 1 930,00  |
| CSETF1013-205   | 10/100 Point System™ Slide-In-Module Media Converters [Class B] 10/100BASE-TX (RJ-45) [100 m/328 ft.] to 10/100BASE-SX 850nm multimode (SC) [300 m/984 ft.] | 2 140,00 | A       | 10% | 1 930,00  |
| <b>10/100/1000 Ethernet Point System Slide-In-Module Media Converters</b> |   |          |         |     |           |

| <b>fiberdata</b>                        |   |           |         |     |           |
|---|---|-----------|---------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |   |           |         |     |           |
| Prislista - gäller från 2008-11-18      |   |           |         |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |   |           |         |     |           |
| Artikelnummer                           | Benämning   | Listpris  | Rbt-typ | Rbt | Nettopris |
| CGFEB1013-100                           | 10/100/1000 Ethernet Point System™ Slide-In-Module Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] | 7 270,00  | A       | 10% | 6 550,00  |
| CGFEB1014-100                           | 10/100/1000 Ethernet Point System™ Slide-In-Module Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm single mode (SC) [10 km/6.2 miles]                                  | 10 540,00 | A       | 10% | 9 490,00  |
| CGFEB1015-100                           | 10/100/1000 Ethernet Point System™ Slide-In-Module Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm single mode (SC) [25 km/15.5 miles]                                 | 15 450,00 | A       | 10% | 13 910,00 |
| CGFEB1017-100                           | 10/100/1000 Ethernet Point System™ Slide-In-Module Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1550nm single mode (SC) [65 km/40.4 miles]                                 | 40 780,00 | A       | 10% | 36 710,00 |
| CGFEB1024-100                           | 10/100/1000 Ethernet Point System™ Slide-In-Module Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm Extended multimode (62.5/125µm fiber only) (SC) [up to 2 km]        | 20 670,00 | A       | 10% | 18 610,00 |
| CGFEB1029-100                           | 10/100/1000 Ethernet Point System™ Slide-In-Module Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm TX / 1550nm RX single fiber single mode (SC) [20 km/12.4 miles]     | 17 800,00 | A       | 10% | 16 020,00 |
| CGFEB1029-101                           | 10/100/1000 Ethernet Point System™ Slide-In-Module Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1550nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles]     | 19 110,00 | A       | 10% | 17 200,00 |

| <b>fiberdata</b> |   | <b>Priser VERVA, Transition</b>         |             |     |           |
|------------------|---|---|-------------|-----|-----------|
|                  |   | Prislista - gäller från 2008-11-18      |             |     |           |
|                  |   | Valutakursen beräknad på 1 USD = 8 SEK. |             |     |           |
| Artikelnummer    | Benämning   | Listpris                                | Rbt-<br>typ | Rbt | Nettopris |
| CGFEB1029-102    | 10/100/1000 Ethernet Point System™ Slide-In-Module Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm TX / 1550nm RX single fiber single mode (SC) [40 km/24.9 miles] | 21 720,00                               | A           | 10% | 19 550,00 |
| CGFEB1029-103    | 10/100/1000 Ethernet Point System™ Slide-In-Module Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1550nm TX / 1310nm RX single fiber single mode (SC) [40 km/24.9 miles] | 23 070,00                               | A           | 10% | 20 770,00 |
| CGFEB1035-100    | 10/100/1000 Ethernet Point System™ Slide-In-Module Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1550nm single mode (SC) [125 km/77.7 miles]                            | 43 300,00                               | A           | 10% | 38 970,00 |
| CGFEB1029-104    | 10/100/1000 Ethernet Point System™ Slide-In-Module Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1510nm TX / 1590nm RX single fiber single mode (SC) [80 km/49.7 miles] | 24 810,00                               | A           | 10% | 22 330,00 |
| CGFEB1029-105    | 10/100/1000 Ethernet Point System™ Slide-In-Module Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1590nm TX / 1510nm RX single fiber single mode (SC) [80 km/49.7 miles] | 26 330,00                               | A           | 10% | 23 700,00 |
| CGFEB1040-100    | 10/100/1000 Ethernet Point System™ Slide-In-Module Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-X SFP slot (empty)  | 7 010,00                                | A           | 10% | 6 310,00  |
| CMEFG1040-100    | 10/100/1000 Ethernet Remotely Managed Point System™ Slide-In-Module Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-X SFP slot (empty)                                       | 9 100,00                                | A           | 10% | 8 190,00  |
|                  | <b>10/100/1000 Ethernet Point System™ Slide-In-Module Media Converters</b>  |   |             |     |           |

| <b>fiberdata</b> |   | <b>Priser VERVA, Transition</b>         |         |     |           |
|------------------|---|---|---------|-----|-----------|
|                  |   | Prislista - gäller från 2008-11-18      |         |     |           |
|                  |   | Valutakursen beräknad på 1 USD = 8 SEK. |         |     |           |
| Artikelnummer    | Benämning   | Listpris                                | Rbt-typ | Rbt | Nettopris |
| CGFEB1013-110    | 10/100/1000 Ethernet Point System™ Slide-In-Module Media Converters with Built-in Fiber Tap 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.]                           | 9 450,00                                | A       | 10% | 8 510,00  |
| CGFEB1014-110    | 10/100/1000 Ethernet Point System™ Slide-In-Module Media Converters with Built-in Fiber Tap 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm single mode (SC) [10 km/6.2 miles] Plus (1) 1000BASE-LX Tap Port                              | 13 710,00                               | A       | 10% | 12 340,00 |
| CGFEB1015-110    | 10/100/1000 Ethernet Point System™ Slide-In-Module Media Converters with Built-in Fiber Tap 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm single mode (SC) [25 km/15.5 miles] Plus (1) 1000BASE-LX Tap Port                             | 19 980,00                               | A       | 10% | 17 990,00 |
| CGFEB1017-110    | 10/100/1000 Ethernet Point System™ Slide-In-Module Media Converters with Built-in Fiber Tap 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1550nm single mode (SC) [65 km/40.4 miles] Plus (1) 1000BASE-LX Tap Port                             | 47 830,00                               | A       | 10% | 43 050,00 |
| CGFEB1029-110    | 10/100/1000 Ethernet Point System™ Slide-In-Module Media Converters with Built-in Fiber Tap 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm TX / 1550nm RX single fiber single mode (SC) [20 km/12.4 miles] Plus (1) 1000BASE-LX Tap Port | 23 110,00                               | A       | 10% | 20 800,00 |
| CGFEB1029-111    | 10/100/1000 Ethernet Point System™ Slide-In-Module Media Converters with Built-in Fiber Tap 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1550nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles] Plus (1) 1000BASE-LX Tap Port | 24 460,00                               | A       | 10% | 22 020,00 |
|                  | 10/100/1000 Ethernet Remotely Managed Point System Slide-In Module Media Converters   |   |         |     |           |

| <b>fiberdata</b>                        |  |           |             |     |           |
|---|--|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |  |           |             |     |           |
| Prislista - gäller från 2008-11-18      |  |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |  |           |             |     |           |
| Artikelnummer                           | Benämning  | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| CMEFG1013-100                           | 10/100/1000 Ethernet Remotely Managed Point System™ Slide-In-Module Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] | 10 930,00 | A           | 10% | 9 840,00  |
| CMEFG1014-100                           | 10/100/1000 Ethernet Remotely Managed Point System™ Slide-In-Module Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX-10 1310nm single mode (SC) [10 km/6.2 miles]                               | 12 670,00 | A           | 10% | 11 410,00 |
| CMEFG1015-100                           | 10/100/1000 Ethernet Remotely Managed Point System™ Slide-In-Module Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm single mode (SC) [30 km/18.6 miles]                                 | 13 890,00 | A           | 10% | 12 510,00 |
| CMEFG1017-100                           | 10/100/1000 Ethernet Remotely Managed Point System™ Slide-In-Module Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1550nm single mode (SC) [65 km/40.4 miles]                                 | 26 590,00 | A           | 10% | 23 940,00 |
| CMEFG1029-100                           | 10/100/1000 Ethernet Remotely Managed Point System™ Slide-In-Module Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-BX-U 1310nm TX / 1490nm RX single fiber single mode (SC) [20 km/12.4 miles]   | 22 070,00 | A           | 10% | 19 870,00 |
| CMEFG1029-101                           | 10/100/1000 Ethernet Remotely Managed Point System™ Slide-In-Module Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-BX-D 1490nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles]   | 23 370,00 | A           | 10% | 21 040,00 |
| CMEFG1029-102                           | 10/100/1000 Ethernet Remotely Managed Point System™ Slide-In-Module Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-BX-U 1310nm TX / 1490nm RX single fiber single mode (SC) [40 km/24.9 miles]   | 25 980,00 | A           | 10% | 23 390,00 |

| <b>fiberdata</b>                        |  |           |             |     |           |
|---|--|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |  |           |             |     |           |
| Prislista - gäller från 2008-11-18      |  |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |  |           |             |     |           |
| Artikelnummer                           | Benämning  | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| CMEFG1029-103                           | 10/100/1000 Ethernet Remotely Managed Point System™ Slide-In-Module Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-BX-D 1490nm TX / 1310nm RX single fiber single mode (SC) [40 km/24.9 miles]                                 | 27 290,00 | A           | 10% | 24 570,00 |
| CMEFG1035-100                           | 10/100/1000 Ethernet Remotely Managed Point System™ Slide-In-Module Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1550nm single mode (SC) [120 km/74.6 miles]  | 45 740,00 | A           | 10% | 41 170,00 |
|   | <b>10/100/1000 Ethernet Remotely Managed Point System Slide-In Module Media Converteres</b>  |           |             |     |           |
| CMEFG1013-110                           | 10/100/1000 Ethernet Remotely Managed Point System™ Slide-In-Module Media Converters [with Optical DMI management] 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] | 11 970,00 | A           | 10% | 10 780,00 |
| CMEFG1014-110                           | 10/100/1000 Ethernet Remotely Managed Point System™ Slide-In-Module Media Converters [with Optical DMI management] 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX-10 1310nm single mode (SC) [10 km/6.2 miles]                               | 13 710,00 | A           | 10% | 12 340,00 |
| CMEFG1015-110                           | 10/100/1000 Ethernet Remotely Managed Point System™ Slide-In-Module Media Converters [with Optical DMI management] 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm single mode (SC) [30 km/18.6 miles]                                 | 14 930,00 | A           | 10% | 13 440,00 |
| CMEFG1029-110                           | 10/100/1000 Ethernet Remotely Managed Point System™ Slide-In-Module Media Converters [with Optical DMI management] 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-BX-U 1310nm TX / 1490nm RX single fiber single mode (SC) [20 km/12.4 miles]   | 23 110,00 | A           | 10% | 20 800,00 |

| <b>fiberdata</b>                        |   |           |         |     |           |
|---|---|-----------|---------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |   |           |         |     |           |
| Prislista - gäller från 2008-11-18      |   |           |         |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |   |           |         |     |           |
| Artikelnummer                           | Benämning   | Listpris  | Rbt-typ | Rbt | Nettopris |
| CMEFG1029-111                           | 10/100/1000 Ethernet Remotely Managed Point System™ Slide-In-Module Media Converters [with Optical DMI management]<br>10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-BX-D 1490nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles] | 24 420,00 | A       | 10% | 21 980,00 |
|   | <b>Gigabit Ethernet Point System Slide-In-Module Media Converters</b>   |           |         |     |           |
| CGETF1013-105                           | Gigabit Ethernet Point System Slide-In-Module Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.]   | 5 440,00  | A       | 10% | 4 900,00  |
| CGETF1014-105                           | Gigabit Ethernet Point System Slide-In-Module Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm single mode (SC) [10 km/6.2 miles]  | 9 100,00  | A       | 10% | 8 190,00  |
| CGETF1015-105                           | Gigabit Ethernet Point System Slide-In-Module Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm single mode (SC) [25 km/15.5 miles]   | 14 360,00 | A       | 10% | 12 930,00 |
| CGETF1017-105                           | Gigabit Ethernet Point System Slide-In-Module Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1550nm single mode (SC) [65 km/40.4 miles]   | 27 420,00 | A       | 10% | 24 680,00 |
| CGETF1018-105                           | Gigabit Ethernet Point System Slide-In-Module Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-SX 850nm multimode (MT-RJ) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.]  | 5 440,00  | A       | 10% | 4 900,00  |
| CGETF1024-105                           | Gigabit Ethernet Point System Slide-In-Module Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm Extended multimode (62.5/125µm fiber only) (SC) [2 km/1.2 miles]  | 15 630,00 | A       | 10% | 14 070,00 |

| <b>fiberdata</b>  |  |           |             |     |           |
|---|--|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>                                       |  |           |             |     |           |
| Prislista - gäller från 2008-11-18                                    |  |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK.                               |  |           |             |     |           |
| Artikelnummer   | Benämning  | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| CGETF1029-105   | Gigabit Ethernet Point System Slide-In-Module Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm TX / 1550nm RX single fiber single mode (SC) [20 km/12.4 miles]      | 15 840,00 | A           | 10% | 14 260,00 |
| CGETF1029-106   | Gigabit Ethernet Point System Slide-In-Module Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1550nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles]      | 17 190,00 | A           | 10% | 15 480,00 |
| CGETF1029-107   | Gigabit Ethernet Point System Slide-In-Module Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm TX / 1550nm RX single fiber single mode (SC) [40 km/24.9 miles]      | 19 760,00 | A           | 10% | 17 790,00 |
| CGETF1029-108   | Gigabit Ethernet Point System Slide-In-Module Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1550nm TX / 1310nm RX single fiber single mode (SC) [40 km/24.9 miles]      | 21 070,00 | A           | 10% | 18 970,00 |
| CGETF1035-105   | Gigabit Ethernet Point System Slide-In-Module Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1550nm single mode (SC) [125 km/77.7 miles]                                 | 37 860,00 | A           | 10% | 34 080,00 |
| CGETF1039-105   | Gigabit Ethernet Point System™ Slide-In-Module Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-SX 850nm multimode (LC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] | 5 440,00  | A           | 10% | 4 900,00  |
| <b>Gigabit Ethernet Point System Slide-In-Module Media Converters</b> |  |           |             |     |           |

| <b>fiberdata</b> |   | <b>Priser VERVA, Transition</b>         |             |     |           |
|------------------|---|---|-------------|-----|-----------|
|                  |   | Prislista - gäller från 2008-11-18      |             |     |           |
|                  |   | Valutakursen beräknad på 1 USD = 8 SEK. |             |     |           |
| Artikelnummer    | Benämning   | Listpris                                | Rbt-<br>typ | Rbt | Nettopris |
| CFMFF1313-220    | Gigabit Ethernet / Fibre Channel Optical Mode Conversion Point System™ Slide-In-Module Media Converters [Class B] 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m | 9 530,00                                | A           | 10% | 8 580,00  |
| CFMFF1314-220    | Gigabit Ethernet / Fibre Channel Optical Mode Conversion Point System™ Slide-In-Module Media Converters [Class B] 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1310nm single mode (SC) [10 km/6.2 mile | 10 670,00                               | A           | 10% | 9 610,00  |
| CFMFF1315-220    | Gigabit Ethernet / Fibre Channel Optical Mode Conversion Point System™ Slide-In-Module Media Converters [Class B] 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1310nm single mode (SC) [25 km/15.5 mil | 19 370,00                               | A           | 10% | 17 440,00 |
| CFMFF1317-220    | Gigabit Ethernet / Fibre Channel Optical Mode Conversion Point System™ Slide-In-Module Media Converters [Class B] 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1550nm single mode (SC) [65 km/40.4 mil | 23 940,00                               | A           | 10% | 21 550,00 |
| CFMFF1324-220    | Gigabit Ethernet / Fibre Channel Optical Mode Conversion Point System™ Slide-In-Module Media Converters [Class B] 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1310nm Extended multimode (62.5/125µm f | 18 060,00                               | A           | 10% | 16 260,00 |

| <b>fiberdata</b> |   | <b>Priser VERVA, Transition</b>         |             |     |           |
|------------------|---|---|-------------|-----|-----------|
|                  |   | Prislista - gäller från 2008-11-18      |             |     |           |
|                  |   | Valutakursen beräknad på 1 USD = 8 SEK. |             |     |           |
| Artikelnummer    | Benämning   | Listpris                                | Rbt-<br>typ | Rbt | Nettopris |
| CFMFF1329-220    | Gigabit Ethernet / Fibre Channel Optical Mode Conversion Point System™ Slide-In-Module Media Converters [Class B] 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1310nm TX / 1550nm RX single fiber sing | 16 760,00                               | A           | 10% | 15 090,00 |
| CFMFF1329-221    | Gigabit Ethernet / Fibre Channel Optical Mode Conversion Point System™ Slide-In-Module Media Converters [Class B] 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1550nm TX / 1310nm RX single fiber sing | 18 500,00                               | A           | 10% | 16 650,00 |
| CFMFF1329-222    | Gigabit Ethernet / Fibre Channel Optical Mode Conversion Point System™ Slide-In-Module Media Converters [Class B] 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1310nm TX / 1550nm RX single fiber sing | 21 670,00                               | A           | 10% | 19 510,00 |
| CFMFF1329-223    | Gigabit Ethernet / Fibre Channel Optical Mode Conversion Point System™ Slide-In-Module Media Converters [Class B] 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1550nm TX / 1310nm RX single fiber sing | 22 760,00                               | A           | 10% | 20 490,00 |
| CFMFF1335-220    | Gigabit Ethernet / Fibre Channel Optical Mode Conversion Point System™ Slide-In-Module Media Converters [Class B] 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1550nm single mode (SC) [125 km/77.7 mi | 33 510,00                               | A           | 10% | 30 160,00 |

| <b>fiberdata</b>                        |  |           |             |     |           |
|---|--|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |  |           |             |     |           |
| Prislista - gäller från 2008-11-18      |  |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |  |           |             |     |           |
| Artikelnummer                           | Benämning  | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| CFMFF1414-220                           | Gigabit Ethernet / Fibre Channel Optical Mode Conversion Point System™ Slide-In-Module Media Converters [Class B] 1000BASE-LX 1310nm single mode (SC) [10 km/6.2 miles] to 1000BASE-LX 1310nm single mode (SC) [10 km/6.2 miles]                               | 15 230,00 | A           | 10% | 13 710,00 |
| CFMFF1414-280                           | Gigabit Ethernet Retiming Point System™ Slide-In-Module Media Converters 1000BASE-LX 1310nm single mode (SC) [10 km/6.2 miles] to 1000BASE-LX 1310nm single mode (SC) [10 km/6.2 miles]  | 16 760,00 | A           | 10% | 15 090,00 |
| CFMFF1424-220                           | Gigabit Ethernet / Fibre Channel Optical Mode Conversion Point System™ Slide-In-Module Media Converters [Class B] 1000BASE-LX 1310nm single mode (SC) [10 km/6.2 miles] to 1000BASE-LX 1310nm Extended multimode (62.5/125µm fiber only) (SC) [2 km/1.2 miles] | 19 460,00 | A           | 10% | 17 520,00 |
| CFMFF1429-220                           | Gigabit Ethernet / Fibre Channel Optical Mode Conversion Point System™ Slide-In-Module Media Converters [Class B] 1000BASE-LX 1310nm single mode (SC) [10 km/6.2 miles] to 1000BASE-LX 1310nm TX / 1550nm RX single fiber single mode (SC) [20 km/12.4 miles]  | 19 800,00 | A           | 10% | 17 820,00 |
|   | <b>Gigabit Ethernet Retiming Point System Slide-In Module Media Converters</b>   |           |             |     |           |
| CFMFF1314-280                           | Gigabit Ethernet Retiming Point System Slide-In-Module Media Converters 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1310nm single mode (SC) [10 km/6.2 miles]  | 11 750,00 | A           | 10% | 10 580,00 |
| CFMFF1315-280                           | Gigabit Ethernet Retiming Point System Slide-In-Module Media Converters 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1310nm single mode (SC) [25 km/15.5 miles]                                       | 21 330,00 | A           | 10% | 19 200,00 |

| <b>fiberdata</b>                        |   |           |             |     |           |
|---|---|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |   |           |             |     |           |
| Prislista - gäller från 2008-11-18      |   |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |   |           |             |     |           |
| Artikelnummer                           | Benämning   | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| CFMFF1317-280                           | Gigabit Ethernet Retiming Point System Slide-In-Module Media Converters 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1550nm single mode (SC) [65 km/40.4 miles]                              | 26 330,00 | A           | 10% | 23 700,00 |
| CFMFF1324-280                           | Gigabit Ethernet Retiming Point System Slide-In-Module Media Converters 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1310nm Extended multimode (62.5/125µm fiber only) (SC) [2 km/1.2 miles] | 19 850,00 | A           | 10% | 17 870,00 |
| CFMFF1329-280                           | Gigabit Ethernet Retiming Point System Slide-In-Module Media Converters 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1310nm TX / 1550nm RX single fiber single mode (SC) [20 km/12.4 miles]  | 18 450,00 | A           | 10% | 16 610,00 |
| CFMFF1329-281                           | Gigabit Ethernet Retiming Point System Slide-In-Module Media Converters 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1550nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles]  | 20 370,00 | A           | 10% | 18 340,00 |
| CFMFF1329-282                           | Gigabit Ethernet Retiming Point System Slide-In-Module Media Converters 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1310nm TX / 1550nm RX single fiber single mode (SC) [40 km/24.9 miles]  | 23 850,00 | A           | 10% | 21 470,00 |

| <b>fiberdata</b>                        |  |           |             |     |           |
|---|--|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |  |           |             |     |           |
| Prislista - gäller från 2008-11-18      |  |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |  |           |             |     |           |
| Artikelnummer                           | Benämning  | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| CFMFF1329-283                           | Gigabit Ethernet Retiming Point System Slide-In-Module Media Converters 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1550nm TX / 1310nm RX single fiber single mode (SC) [40 km/24.9 miles] | 25 030,00 | A           | 10% | 22 530,00 |
| CFMFF1329-286                           | Gigabit Ethernet Retiming Point System Slide-In-Module Media Converters 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1510nm TX / 1590nm RX single fiber single mode (SC) [80 km/49.7 miles] | 31 680,00 | A           | 10% | 28 520,00 |
| CFMFF1329-287                           | Gigabit Ethernet Retiming Point System Slide-In-Module Media Converters 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1590nm TX / 1510nm RX single fiber single mode (SC) [80 km/49.7 miles] | 32 990,00 | A           | 10% | 29 700,00 |
| CFMFF1335-280                           | Gigabit Ethernet Retiming Point System Slide-In-Module Media Converters 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1550nm single mode (SC) [125 km/77.7 miles]                            | 36 860,00 | A           | 10% | 33 180,00 |
|   | <b>T1/E1 Remotely Managed Point System Slide-In-Module Media Converters</b>  |           |             |     |           |
| CSDTF1011-105                           | T1/E1 Remotely Managed Point System™ Slide-In-Module Media Converters Twisted Pair (RJ-45) [1.5 km/.9 miles] to 850nm multimode (ST) [2 km/1.2 miles]  | 6 580,00  | A           | 10% | 5 930,00  |
| CSDTF1012-105                           | T1/E1 Remotely Managed Point System™ Slide-In-Module Media Converters Twisted Pair (RJ-45) [1.5 km/.9 miles] to 1310nm single mode (ST) [8 km/5 miles]   | 10 060,00 | A           | 10% | 9 060,00  |

| <b>fiberdata</b>                        |  |           |             |     |           |
|---|--|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |  |           |             |     |           |
| Prislista - gäller från 2008-11-18      |  |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |  |           |             |     |           |
| Artikelnummer                           | Benämning  | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| CSDTF1013-105                           | T1/E1 Remotely Managed Point System™ Slide-In-Module Media Converters Twisted Pair (RJ-45) [1.5 km/.9 miles] to 850nm multimode (SC) [2 km/1.2 miles]                                  | 6 580,00  | A           | 10% | 5 930,00  |
| CSDTF1014-105                           | T1/E1 Remotely Managed Point System™ Slide-In-Module Media Converters Twisted Pair (RJ-45) [1.5 km/.9 miles] to 1310nm single mode (SC) [20 km/12.4 miles]                             | 10 060,00 | A           | 10% | 9 060,00  |
| CSDTF1015-105                           | T1/E1 Remotely Managed Point System™ Slide-In-Module Media Converters Twisted Pair (RJ-45) [1.5 km/.9 miles] to 1310nm single mode (SC) [40 km/24.9 miles]                             | 10 930,00 | A           | 10% | 9 840,00  |
| CSDTF1016-105                           | T1/E1 Remotely Managed Point System™ Slide-In-Module Media Converters Twisted Pair (RJ-45) [1.5 km/.9 miles] to 1310nm single mode (SC) [60 km/37.3 miles]                             | 17 020,00 | A           | 10% | 15 320,00 |
| CSDTF1017-105                           | T1/E1 Remotely Managed Point System™ Slide-In-Module Media Converters Twisted Pair (RJ-45) [1.5 km/.9 miles] to 1550nm single mode (SC) [80 km/49.7 miles]                             | 25 720,00 | A           | 10% | 23 150,00 |
| CSDTF1018-105                           | T1/E1 Remotely Managed Point System™ Slide-In-Module Media Converters Twisted Pair (RJ-45) [1.5 km/.9 miles] to 1300nm multimode (MT-RJ) [2 km/1.2 miles]                              | 6 580,00  | A           | 10% | 5 930,00  |
| CSDTF1022-105                           | T1/E1 Remotely Managed Point System™ Slide-In-Module Media Converters Twisted Pair (RJ-45) [1.5 km/.9 miles] to 1310nm single mode (ST) [15 km/9.3 miles]                              | 10 930,00 | A           | 10% | 9 840,00  |
| CSDTF1027-105                           | T1/E1 Remotely Managed Point System™ Slide-In-Module Media Converters Twisted Pair (RJ-45) [1.5 km/.9 miles] to 1300nm multimode (ST) [5 km/3.1 miles]                                 | 8 230,00  | A           | 10% | 7 410,00  |
| CSDTF1029-105                           | T1/E1 Remotely Managed Point System™ Slide-In-Module Media Converters Twisted Pair (RJ-45) [1.5 km/.9 miles] to 1310nm TX / 1550nm RX single fiber single mode (SC) [20 km/12.4 miles] | 12 890,00 | A           | 10% | 11 610,00 |

| <b>fiberdata</b>     | <b>Priser VERVA, Transition</b>  |                 |                     |            |                  |
|----------------------|--|-----------------|---------------------|------------|------------------|
|                      | <b>Prislista - gäller från 2008-11-18</b>  |                 |                     |            |                  |
|                      | <b>Valutakursen beräknad på 1 USD = 8 SEK.</b>   |                 |                     |            |                  |
| <b>Artikelnummer</b> | <b>Benämning</b>   | <b>Listpris</b> | <b>Rbt-<br/>typ</b> | <b>Rbt</b> | <b>Nettopris</b> |
| CSDTF1029-106        | T1/E1 Remotely Managed Point System™ Slide-In-Module Media Converters Twisted Pair (RJ-45) [1.5 km/.9 miles] to 1550nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles]           | 13 760,00       | A                   | 10%        | 12 390,00        |
| CSDTF1029-107        | T1/E1 Remotely Managed Point System™ Slide-In-Module Media Converters Twisted Pair (RJ-45) [1.5 km/.9 miles] to 1310nm TX / 1550nm RX single fiber single mode (SC) [40 km/24.9 miles]           | 15 500,00       | A                   | 10%        | 13 950,00        |
| CSDTF1029-108        | T1/E1 Remotely Managed Point System™ Slide-In-Module Media Converters Twisted Pair (RJ-45) [1.5 km/.9 miles] to 1550nm TX / 1310nm RX single fiber single mode (SC) [40 km/24.9 miles]           | 20 630,00       | A                   | 10%        | 18 570,00        |
|                      | <b>4x T1/E1 to Fiber Transport Mux Point System Slide-In Module Media Converters</b>   |                 |                     |            |                  |
| C4TEF1011-100        | 4x T1/E1 to Fiber Transport Mux Point System™ Slide-In-Module Media Converters 1300nm multimode (ST) [2 km/1.2 miles] to Ports 2-5: (RJ-48) [1.5 km/.9 miles] Port 6: 6-pin DIN [3 m/10 ft.]     | 11 450,00       | A                   | 10%        | 10 310,00        |
| C4TEF1013-100        | 4x T1/E1 to Fiber Transport Mux Point System™ Slide-In-Module Media Converters 1300nm multimode (SC) [2 km/1.2 miles] to Ports 2-5: (RJ-48) [1.5 km/.9 miles] Port 6: 6-pin DIN [3 m/10 ft.]     | 11 450,00       | A                   | 10%        | 10 310,00        |
| C4TEF1014-100        | 4x T1/E1 to Fiber Transport Mux Point System™ Slide-In-Module Media Converters 1310nm single mode (SC) [20 km/12.4 miles] to Ports 2-5: (RJ-48) [1.5 km/.9 miles] Port 6: 6-pin DIN [3 m/10 ft.] | 14 500,00       | A                   | 10%        | 13 050,00        |

| <b>fiberdata</b>                        |  |           |             |     |           |
|---|--|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |  |           |             |     |           |
| Prislista - gäller från 2008-11-18      |  |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |  |           |             |     |           |
| Artikelnummer                           | Benämning  | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| C4TEF1015-100                           | 4x T1/E1 to Fiber Transport Mux Point System™ Slide-In-Module Media Converters 1310nm single mode (SC) [40 km/24.9 miles] to Ports 2-5: (RJ-48) [1.5 km/.9 miles] Port 6: 6-pin DIN [3 m/10 ft.]                             | 16 150,00 | A           | 10% | 14 540,00 |
| C4TEF1016-100                           | 4x T1/E1 to Fiber Transport Mux Point System™ Slide-In-Module Media Converters 1310nm single mode (SC) [60 km/37.3 miles] to Ports 2-5: (RJ-48) [1.5 km/.9 miles] Port 6: 6-pin DIN [3 m/10 ft.]                             | 20 590,00 | A           | 10% | 18 540,00 |
| C4TEF1017-100                           | 4x T1/E1 to Fiber Transport Mux Point System™ Slide-In-Module Media Converters 1550nm single mode (SC) [80 km/49.7 miles] to Ports 2-5: (RJ-48) [1.5 km/.9 miles] Port 6: 6-pin DIN [3 m/10 ft.]                             | 25 370,00 | A           | 10% | 22 840,00 |
| C4TEF1029-100                           | 4x T1/E1 to Fiber Transport Mux Point System™ Slide-In-Module Media Converters 1310nm TX / 1550nm RX single fiber single mode (SC) [20 km/12.4 miles] to Ports 2-5: (RJ-48) [1.5 km/.9 miles] Port 6: 6-pin DIN [3 m/10 ft.] | 16 240,00 | A           | 10% | 14 620,00 |
| C4TEF1029-101                           | 4x T1/E1 to Fiber Transport Mux Point System™ Slide-In-Module Media Converters 1550nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles] to Ports 2-5: (RJ-48) [1.5 km/.9 miles] Port 6: 6-pin DIN [3 m/10 ft.] | 17 110,00 | A           | 10% | 15 400,00 |
| C4TEF1029-102                           | 4x T1/E1 to Fiber Transport Mux Point System™ Slide-In-Module Media Converters 1310nm TX / 1550nm RX single fiber single mode (SC) [40 km/24.9 miles] to Ports 2-5: (RJ-48) [1.5 km/.9 miles] Port 6: 6-pin DIN [3 m/10 ft.] | 18 850,00 | A           | 10% | 16 970,00 |
| C4TEF1029-103                           | 4x T1/E1 to Fiber Transport Mux Point System™ Slide-In-Module Media Converters 1550nm TX / 1310nm RX single fiber single mode (SC) [40 km/24.9 miles] to Ports 2-5: (RJ-48) [1.5 km/.9 miles] Port 6: 6-pin DIN [3 m/10 ft.] | 21 720,00 | A           | 10% | 19 550,00 |

| <b>fiberdata</b>     | <b>Priser VERVA, Transition</b>   |                 |                     |            |                  |
|----------------------|---|-----------------|---------------------|------------|------------------|
|                      | <b>Prislista - gäller från 2008-11-18</b>   |                 |                     |            |                  |
|                      | <b>Valutakursen beräknad på 1 USD = 8 SEK.</b>  |                 |                     |            |                  |
| <b>Artikelnummer</b> | <b>Benämning</b>  | <b>Listpris</b> | <b>Rbt-<br/>typ</b> | <b>Rbt</b> | <b>Nettopris</b> |
| C4TEF1011-110        | 4x T1/E1 + 10/100 Ethernet to Fiber Transport Mux Point System™<br>Slide-In-Module Media Converters 1300nm multimode (ST) [2<br>km/1.2 miles] to Ports 2-5: (RJ-48) [1.5 km/.9 miles] Port 6:<br>10/100BASE-TX (RJ-45) [100 m/328 ft.] Port 7: 6-pin DIN [3 m/10<br>ft.]    | 19 890,00       | A                   | 10%        | 17 910,00        |
| C4TEF1013-110        | 4x T1/E1 + 10/100 Ethernet to Fiber Transport Mux Point System™<br>Slide-In-Module Media Converters 1300nm multimode (SC) [2<br>km/1.2 miles] to Ports 2-5: (RJ-48) [1.5 km/.9 miles] Port 6:<br>10/100BASE-TX (RJ-45) [100 m/328 ft.] Port 7: 6-pin DIN [3 m/10<br>ft.]    | 19 890,00       | A                   | 10%        | 17 910,00        |
| C4TEF1014-110        | 4x T1/E1 + 10/100 Ethernet to Fiber Transport Mux Point System™<br>Slide-In-Module Media Converters 1310nm single mode (SC) [20<br>km/12.4 miles] to Ports 2-5: (RJ-48) [1.5 km/.9 miles] Port 6:<br>10/100BASE-TX (RJ-45) [100 m/328 ft.] Port 7: 6-pin DIN [3 m/10<br>ft] | 25 200,00       | A                   | 10%        | 22 680,00        |
| C4TEF1015-110        | 4x T1/E1 + 10/100 Ethernet to Fiber Transport Mux Point System™<br>Slide-In-Module Media Converters 1310nm single mode (SC) [40<br>km/24.9 miles] to Ports 2-5: (RJ-48) [1.5 km/.9 miles] Port 6:<br>10/100BASE-TX (RJ-45) [100 m/328 ft.] Port 7: 6-pin DIN [3 m/10<br>ft] | 28 070,00       | A                   | 10%        | 25 270,00        |
| C4TEF1016-110        | 4x T1/E1 + 10/100 Ethernet to Fiber Transport Mux Point System™<br>Slide-In-Module Media Converters 1310nm single mode (SC) [60<br>km/37.3 miles] to Ports 2-5: (RJ-48) [1.5 km/.9 miles] Port 6:<br>10/100BASE-TX (RJ-45) [100 m/328 ft.] Port 7: 6-pin DIN [3 m/10<br>ft] | 34 770,00       | A                   | 10%        | 31 300,00        |

| <b>fiberdata</b> |  | <b>Priser VERVA, Transition</b>         |             |     |           |
|------------------|--|---|-------------|-----|-----------|
|                  |  | Prislista - gäller från 2008-11-18      |             |     |           |
|                  |  | Valutakursen beräknad på 1 USD = 8 SEK. |             |     |           |
| Artikelnummer    | Benämning  | Listpris                                | Rbt-<br>typ | Rbt | Nettopris |
| C4TEF1017-110    | 4x T1/E1 + 10/100 Ethernet to Fiber Transport Mux Point System™<br>Slide-In-Module Media Converters 1550nm single mode (SC) [80 km/49.7 miles] to Ports 2-5: (RJ-48) [1.5 km/.9 miles] Port 6: 10/100BASE-TX (RJ-45) [100 m/328 ft.] Port 7: 6-pin DIN [3 m/10 ft] | 44 080,00                               | A           | 10% | 39 680,00 |
| C4TEF1029-110    | 4x T1/E1 + 10/100 Ethernet to Fiber Transport Mux Point System™<br>Slide-In-Module Media Converters 1310nm TX / 1550nm RX single fiber single mode (SC) [20 km/12.4 miles] to Ports 2-5: (RJ-48) [1.5 km/.9 miles] Port 6: 10/100BASE-TX (RJ-45) [100 m/328 ft.]   | 26 940,00                               | A           | 10% | 24 250,00 |
| C4TEF1029-111    | 4x T1/E1 + 10/100 Ethernet to Fiber Transport Mux Point System™<br>Slide-In-Module Media Converters 1550nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles] to Ports 2-5: (RJ-48) [1.5 km/.9 miles] Port 6: 10/100BASE-TX (RJ-45) [100 m/328 ft.]   | 27 810,00                               | A           | 10% | 25 030,00 |
| C4TEF1029-112    | 4x T1/E1 + 10/100 Ethernet to Fiber Transport Mux Point System™<br>Slide-In-Module Media Converters 1310nm TX / 1550nm RX single fiber single mode (SC) [40 km/24.9 miles] to Ports 2-5: (RJ-48) [1.5 km/.9 miles] Port 6: 10/100BASE-TX (RJ-45) [100 m/328 ft.]   | 29 550,00                               | A           | 10% | 26 600,00 |
| C4TEF1029-113    | 4x T1/E1 + 10/100 Ethernet to Fiber Transport Mux Point System™<br>Slide-In-Module Media Converters 1550nm TX / 1310nm RX single fiber single mode (SC) [40 km/24.9 miles] to Ports 2-5: (RJ-48) [1.5 km/.9 miles] Port 6: 10/100BASE-TX (RJ-45) [100 m/328 ft.]   | 32 420,00                               | A           | 10% | 29 180,00 |

| <b>fiberdata</b>                        |  |           |             |     |           |
|---|--|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |  |           |             |     |           |
| Prislista - gäller från 2008-11-18      |  |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |  |           |             |     |           |
| Artikelnummer                           | Benämning  | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| C4TEF1035-110                           | 4x T1/E1 + 10/100 Ethernet to Fiber Transport Mux Point System™ Slide-In-Module Media Converters 1550nm single mode (SC) [120 km/74.6 miles] to Ports 2-5: (RJ-48) [1.5 km/.9 miles] Port 6: 10/100BASE-TX (RJ-45) [100 m/328 ft.] Port 7: 6-pin DIN [3 m/10 f | 49 570,00 | A           | 10% | 44 620,00 |
| S4TEF1035-110                           | 4x T1/E1 + 10/100 Ethernet to Fiber Transport Mux Stand-Alone Media Converters 1550nm single mode (SC) [120 km/74.6 miles] to Ports 2-5: (RJ-48) [1.5 km/.9 miles] Port 6: 10/100BASE-TX (RJ-45) [100 m/328 ft.] Port 7: 6-pin DIN [3 m/10 ft.]                | 49 830,00 | A           | 10% | 44 850,00 |
| <b>Mounting Options</b>                 |  |           |             |     |           |
| E-MCR-04                                | 12-slot Media Converter Rack   | 2 570,00  | A           | 10% | 2 320,00  |
| E-MCR-04(T)                             | 12-slot Media Converter Rack (Tall)  | 2 570,00  | A           | 10% | 2 320,00  |
| WMBD                                    | DIN Rail Mount Bracket; fits all Stand-Alone Converters; 1-slot or 2-slot Point System™ Chassis  | 91,70     | A           | 10% | 82,60     |
| WMBD-E                                  | Extended DIN Rail Mount Bracket; fits all Stand-Alone Converters with Piggy-back power supply attached.  | 91,70     | A           | 10% | 82,60     |
| WMBD-F                                  | Flat DIN Rail Mount Bracket; fits all Point System Stand-Alone Converters  | 91,70     | A           | 10% | 82,60     |
| WMBD-FS                                 | Small DIN Rail Mount Bracket; fits all stand-alone converters 3.0" wide  | 91,70     | A           | 10% | 82,60     |
| WMBK                                    | Wall Mount Kit for J/FE-CF-02(xx)  | 91,70     | A           | 10% | 82,60     |
| WMBL                                    | Wall Mount Bracket (Long) (for 4.7" stand-alone converters)  | 91,70     | A           | 10% | 82,60     |
| WMBP                                    | Single or Dual-Slot Point System™ Chassis Wall Mount Kit   | 91,70     | A           | 10% | 82,60     |
| WMBS                                    | Wall Mount Bracket (Short) (for 3.9" stand-alone converters)   | 91,70     | A           | 10% | 82,60     |
| WMBV                                    | Vertical Mount Bracket; fits all Stand-Alone Converters or Single or Dual-Slot Point System™ Chassis   | 91,70     | A           | 10% | 82,60     |
| WMBV-E                                  | Extended Vertical Mount Bracket; fits all Stand-Alone Converters with Piggy-back power supply attached.  | 91,70     | A           | 10% | 82,60     |

| <b>fiberdata</b>                             |   |          |             |     |           |
|--|---|----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>              |   |          |             |     |           |
| Prislista - gäller från 2008-11-18           |   |          |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK.      |   |          |             |     |           |
| Artikelnummer                                | Benämning   | Listpris | Rbt-<br>typ | Rbt | Nettopris |
| WMBI-D                                       | Wall Mount Brackets for Industrial Media Converters (DIN Rail orientation)  | 91,70    | A           | 10% | 82,60     |
| WMBI-F                                       | Wall Mount Brackets for Industrial Media Converters (flat orientation, rotated 90° left or right from DIN Rail orientation)                                 | 91,70    | A           | 10% | 82,60     |
| <b>External Power Supplies</b>               |   |          |             |     |           |
| SPS-1872-CC                                  | Wide Input (18-72VDC) Piggy-Back Power Supply; used with legacy stand-alone converters (3.0" wide)  | 1 920,00 | A           | 10% | 1 730,00  |
| SPS-1872-DPS                                 | Wide Input (18-72VDC) Double-High Piggy-Back Power Supply; used with Point System™ stand-alone converters SBFTF10xx-120 & SBFTF10xx-140                     | 1 920,00 | A           | 10% | 1 730,00  |
| SPS-1872-PS                                  | Wide Input (18-72VDC) Piggy-Back Power Supply; used with Point System™ stand-alone converters (3.25" wide)  | 1 920,00 | A           | 10% | 1 730,00  |
| SPS-1872-SA                                  | Wide Input (18-72VDC) Stand-Alone Power Supply; used with all stand-alone converters; Point System™ Single-Slot Chassis or Point System™ Dual-Slot Chassis. | 1 960,00 | A           | 10% | 1 770,00  |
| SFMFF4040-100                                | Optical Line Converter SFP slot (empty) to SFP slot (empty)   | 6 390,00 | A           | 10% | 5 760,00  |
| <b>Ethernet Stand-Alone Media Converters</b> |   |          |             |     |           |
| E-TBT-FRL-05                                 | Ethernet Stand-Alone Media Converters 10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE-FL 850nm multimode (ST) [2 km/1.2 miles]                                   | 1 530,00 | A           | 10% | 1 380,00  |
| E-TBT-FRL-05(L)                              | Ethernet Stand-Alone Media Converters 10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE-FL 1300nm multimode (ST) [5 km/3.1 miles]                                  | 5 180,00 | A           | 10% | 4 670,00  |
| E-TBT-FRL-05(LH)                             | Ethernet Stand-Alone Media Converters 10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE-FL 1310nm single mode (ST) [40 km/24.9 miles]                              | 5 440,00 | A           | 10% | 4 900,00  |

| <b>fiberdata</b>   |   |          |         |     |           |
|--|---|----------|---------|-----|-----------|
| <b>Priser VERVA, Transition</b>                              |   |          |         |     |           |
| Prislista - gäller från 2008-11-18                           |   |          |         |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK.                      |   |          |         |     |           |
| Artikelnummer  | Benämning   | Listpris | Rbt-typ | Rbt | Nettopris |
| E-TBT-FRL-05(MT)   | Ethernet Stand-Alone Media Converters 10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE-FL 850nm multimode (MT-RJ) [2 km/1.2 miles]                    | 1 530,00 | A       | 10% | 1 380,00  |
| E-TBT-FRL-05(SC)   | Ethernet Stand-Alone Media Converters 10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE-FL 850nm multimode (SC) [2 km/1.2 miles]                       | 1 530,00 | A       | 10% | 1 380,00  |
| E-TBT-FRL-05(SM)   | Ethernet Stand-Alone Media Converters 10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE-FL 1310nm single mode (ST) [20 km/12.4 miles]                  | 4 140,00 | A       | 10% | 3 730,00  |
| E-TBT-FRL-05(XC)   | Ethernet Stand-Alone Media Converters 10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE-FL 1310nm single mode (SC) [20 km/12.4 miles]                  | 5 180,00 | A       | 10% | 4 670,00  |
| <b>Ethernet Just Convert-IT Stand-Alone Media Converters</b> |   |          |         |     |           |
| J/E-CF-02  | Ethernet Just Convert-IT™ Stand-Alone Media Converters 10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE-FL 850nm multimode (ST) [2 km/1.2 miles]      | 1 070,00 | A       | 10% | 963,00    |
| J/E-CF-02(SC)  | Ethernet Just Convert-IT™ Stand-Alone Media Converters 10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE-FL 850nm multimode (SC) [2 km/1.2 miles]      | 1 070,00 | A       | 10% | 963,00    |
| J/E-CF-02(SM)  | Ethernet Just Convert-IT™ Stand-Alone Media Converters 10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE-FL 1310nm single mode (SC) [20 km/12.4 miles] | 3 440,00 | A       | 10% | 3 100,00  |
| J/E-CX-TBT-01  | Ethernet Just Convert-IT™ Stand-Alone Media Converters 10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE2 (BNC) [185 m/607 ft.]                        | 688,00   | A       | 10% | 620,00    |
| J/E-CX-TBT-02  | Ethernet Just Convert-IT™ Stand-Alone Media Converters 10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE2 (BNC) [185 m/607 ft.]                        | 959,00   | A       | 10% | 864,00    |

| <b>fiberdata</b>  |   |          |             |     |           |
|---|---|----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>                         |   |          |             |     |           |
| Prislista - gäller från 2008-11-18                      |   |          |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK.                 |   |          |             |     |           |
| Artikelnummer   | Benämning   | Listpris | Rbt-<br>typ | Rbt | Nettopris |
| <b>Power Over Ethernet Stand-Alone Media Converters</b> |   |          |             |     |           |
| SEPOE1013-150   | Power Over Ethernet Stand-Alone Media Converters [AC powered]<br>10BASE-T (RJ-45) [100 m/328 ft.] to 10BASE-FL 850nm<br>multimode (SC) [2 km/1.2 miles]         | 3 050,00 | A           | 10% | 2 750,00  |
| SFEPE1011-100   | Power Over Ethernet Stand-Alone Media Converters [AC powered]<br>100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm<br>multimode (ST) [2 km/1.2 miles]     | 6 050,00 | A           | 10% | 5 450,00  |
| SFEPE1013-100   | Power Over Ethernet Stand-Alone Media Converters [AC powered]<br>100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm<br>multimode (SC) [2 km/1.2 miles]     | 6 050,00 | A           | 10% | 5 450,00  |
| SFEPE1014-100   | Power Over Ethernet Stand-Alone Media Converters [AC powered]<br>100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm<br>single mode (SC) [20 km/12.4 miles] | 7 790,00 | A           | 10% | 7 020,00  |
| SFEPE1011-110   | Power Over Ethernet Stand-Alone Media Converters [DC powered]<br>100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm<br>multimode (ST) [2 km/1.2 miles]     | 6 880,00 | A           | 10% | 6 200,00  |
| SFEPE1013-110   | Power Over Ethernet Stand-Alone Media Converters [DC powered]<br>100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm<br>multimode (SC) [2 km/1.2 miles]     | 6 880,00 | A           | 10% | 6 200,00  |
| SFEPE1014-110   | Power Over Ethernet Stand-Alone Media Converters [DC powered]<br>100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm<br>single mode (SC) [20 km/12.4 miles] | 7 750,00 | A           | 10% | 6 980,00  |
| <b>Fast Ethernet Stand-Alone Media Converters</b>       |   |          |             |     |           |
| E-100BTX-FX-05  | Fast Ethernet Stand-Alone Media Converters 100BASE-TX (RJ-45)<br>[100 m/328 ft.] to 100BASE-FX 1300nm multimode (ST) [2<br>km/1.2 miles]                        | 3 010,00 | A           | 10% | 2 710,00  |

| <b>fiberdata</b>                        |  |           |             |     |           |
|---|--|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |  |           |             |     |           |
| Prislista - gäller från 2008-11-18      |  |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |  |           |             |     |           |
| Artikelnummer                           | Benämning  | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| E-100BTX-FX-05(100)                     | Fast Ethernet Stand-Alone Media Converters 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm TX / 1550nm RX single fiber single mode (SC) [20 km/12.4 miles] | 8 730,00  | A           | 10% | 7 860,00  |
| E-100BTX-FX-05(101)                     | Fast Ethernet Stand-Alone Media Converters 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1550nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles] | 9 320,00  | A           | 10% | 8 390,00  |
| E-100BTX-FX-05(102)                     | Fast Ethernet Stand-Alone Media Converters 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm TX / 1550nm RX single fiber single mode (SC) [40 km/24.9 miles] | 10 230,00 | A           | 10% | 9 210,00  |
| E-100BTX-FX-05(103)                     | Fast Ethernet Stand-Alone Media Converters 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1550nm TX / 1310nm RX single fiber single mode (SC) [40 km/24.9 miles] | 11 970,00 | A           | 10% | 10 780,00 |
| E-100BTX-FX-05(LC)                      | Fast Ethernet Stand-Alone Media Converters 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm multimode (LC) [2 km/1.2 miles]                                 | 3 010,00  | A           | 10% | 2 710,00  |
| E-100BTX-FX-05(LH)                      | Fast Ethernet Stand-Alone Media Converters 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm single mode (SC) [40 km/24.9 miles]                             | 3 840,00  | A           | 10% | 3 460,00  |
| E-100BTX-FX-05(LW)                      | Fast Ethernet Stand-Alone Media Converters 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1550nm single mode (SC) [80 km/49.7 miles]                             | 21 110,00 | A           | 10% | 19 000,00 |
| E-100BTX-FX-05(MT)                      | Fast Ethernet Stand-Alone Media Converters 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm multimode (MT-RJ) [2 km/1.2 miles]                              | 3 010,00  | A           | 10% | 2 710,00  |
| E-100BTX-FX-05(SC)                      | Fast Ethernet Stand-Alone Media Converters 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm multimode (SC) [2 km/1.2 miles]                                 | 3 010,00  | A           | 10% | 2 710,00  |

| <b>fiberdata</b>   |   |           |             |     |           |
|--|---|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>                                    |   |           |             |     |           |
| Prislista - gäller från 2008-11-18                                 |   |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK.                            |   |           |             |     |           |
| Artikelnummer  | Benämning   | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| E-100BTX-FX-05(SM)   | Fast Ethernet Stand-Alone Media Converters 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm single mode (SC) [20 km/12.4 miles]                        | 5 710,00  | A           | 10% | 5 140,00  |
| E-100BTX-FX-05(SMLC)   | Fast Ethernet Stand-Alone Media Converters 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm single mode (LC) [20 km/12.4 miles]                        | 5 710,00  | A           | 10% | 5 140,00  |
| E-100BTX-FX-05(XL)   | Fast Ethernet Stand-Alone Media Converters 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm single mode (SC) [60 km/37.3 miles]                        | 12 410,00 | A           | 10% | 11 170,00 |
| E-100BTX-FX-05(XLW)  | Fast Ethernet Stand-Alone Media Converters 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1550nm single mode (SC) [120 km/74.6 miles]                       | 30 460,00 | A           | 10% | 27 420,00 |
| <b>Fast Ethernet Just Convert-IT Stand-Alone Media Converters</b>  |   |           |             |     |           |
| J/FE-CF-03   | Fast Ethernet Just Convert-IT™ Stand-Alone Media Converters 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm multimode (ST) [2 km/1.2 miles]           | 1 240,00  | A           | 10% | 1 120,00  |
| J/FE-CF-03(SC)   | Fast Ethernet Just Convert-IT™ Stand-Alone Media Converters 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm multimode (SC) [2 km/1.2 miles]           | 1 240,00  | A           | 10% | 1 120,00  |
| J/FE-CF-03(SM)   | Fast Ethernet Just Convert-IT™ Stand-Alone Media Converters 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm single mode (SC) [20 km/12.4 miles]       | 3 020,00  | A           | 10% | 2 720,00  |
| <b>Fast Ethernet Remotely Managed Stand-Alone Media Converters</b> |   |           |             |     |           |
| SRMFE1011-200  | Fast Ethernet Remotely Managed Stand-Alone Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm multimode (ST) [2 km/1.2 miles] | 5 100,00  | A           | 10% | 4 590,00  |

| <b>fiberdata</b>                        |   |           |             |     |           |
|---|---|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |   |           |             |     |           |
| Prislista - gäller från 2008-11-18      |   |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |   |           |             |     |           |
| Artikelnummer                           | Benämning   | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| SRMFE1013-200                           | Fast Ethernet Remotely Managed Stand-Alone Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm multimode (SC) [2 km/1.2 miles]                                 | 5 100,00  | A           | 10% | 4 590,00  |
| SRMFE1014-200                           | Fast Ethernet Remotely Managed Stand-Alone Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm single mode (SC) [20 km/12.4 miles]                             | 7 530,00  | A           | 10% | 6 780,00  |
| SRMFE1015-200                           | Fast Ethernet Remotely Managed Stand-Alone Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm single mode (SC) [40 km/24.9 miles]                             | 11 620,00 | A           | 10% | 10 460,00 |
| SRMFE1016-200                           | Fast Ethernet Remotely Managed Stand-Alone Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm single mode (SC) [60 km/37.3 miles]                             | 20 720,00 | A           | 10% | 18 650,00 |
| SRMFE1017-200                           | Fast Ethernet Remotely Managed Stand-Alone Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1550nm single mode (SC) [80 km/49.7 miles]                             | 27 680,00 | A           | 10% | 24 920,00 |
| SRMFE1018-200                           | Fast Ethernet Remotely Managed Stand-Alone Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1300nm multimode (MT-RJ) [2 km/1.2 miles]                              | 5 120,00  | A           | 10% | 4 610,00  |
| SRMFE1029-200                           | Fast Ethernet Remotely Managed Stand-Alone Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm TX / 1550nm RX single fiber single mode (SC) [20 km/12.4 miles] | 8 820,00  | A           | 10% | 7 940,00  |
| SRMFE1029-201                           | Fast Ethernet Remotely Managed Stand-Alone Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1550nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles] | 9 060,00  | A           | 10% | 8 160,00  |

| <b>fiberdata</b>                           |   |           |             |     |           |
|--|---|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>            |   |           |             |     |           |
| Prislista - gäller från 2008-11-18         |   |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK.    |   |           |             |     |           |
| Artikelnummer                              | Benämning   | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| SRMFE1029-202                              | Fast Ethernet Remotely Managed Stand-Alone Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1310nm TX / 1550nm RX single fiber single mode (SC) [40 km/24.9 miles] | 9 930,00  | A           | 10% | 8 940,00  |
| SRMFE1029-203                              | Fast Ethernet Remotely Managed Stand-Alone Media Converters [Class B] 100BASE-TX (RJ-45) [100 m/328 ft.] to 100BASE-FX 1550nm TX / 1310nm RX single fiber single mode (SC) [40 km/24.9 miles] | 11 670,00 | A           | 10% | 10 510,00 |
| <b>10/100 Stand-Alone Media Converters</b> |   |           |             |     |           |
| SSETF1011-205                              | 10/100 Stand-Alone Media Converters 10/100BASE-TX (RJ-45) [100 m/328 ft.] to 10/100BASE-SX 850nm multimode (ST) [300 m/984 ft.]   | 2 310,00  | A           | 10% | 2 080,00  |
| SSEFE1012-100                              | Ethernet or Fast Ethernet Stand-Alone Media Converters 10BASE-T or 100BASE-TX (RJ-45) [100 m/328 ft.] to 10BASE-FL or 100BASE-FX 1310nm single mode (ST) [20 km/12.4 miles]                   | 5 480,00  | A           | 10% | 4 940,00  |
| SSETF1013-205                              | 10/100 Stand-Alone Media Converters 10/100BASE-TX (RJ-45) [100 m/328 ft.] to 10/100BASE-SX 850nm multimode (SC) [300 m/984 ft.]   | 2 310,00  | A           | 10% | 2 080,00  |
| SSEFE1014-100                              | Ethernet or Fast Ethernet Stand-Alone Media Converters 10BASE-T or 100BASE-TX (RJ-45) [100 m/328 ft.] to 10BASE-FL or 100BASE-FX 1310nm single mode (SC) [20 km/12.4 miles]                   | 5 480,00  | A           | 10% | 4 940,00  |
| SSEFE1015-100                              | Ethernet or Fast Ethernet Stand-Alone Media Converters 10BASE-T or 100BASE-TX (RJ-45) [100 m/328 ft.] to 10BASE-FL or 100BASE-FX 1310nm single mode (SC) [40 km/24.9 miles]                   | 7 700,00  | A           | 10% | 6 930,00  |
| SSEFE1022-100                              | Ethernet or Fast Ethernet Stand-Alone Media Converters 10BASE-T or 100BASE-TX (RJ-45) [100 m/328 ft.] to 10BASE-FL or 100BASE-FX 1310nm single mode (ST) [40 km/24.9 miles]                   | 7 700,00  | A           | 10% | 6 930,00  |

| <b>fiberdata</b>   |   |           |             |     |           |
|--|---|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>                          |   |           |             |     |           |
| Prislista - gäller från 2008-11-18                       |   |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK.                  |   |           |             |     |           |
| Artikelnummer  | Benämning   | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| SSEFE1029-100  | Ethernet or Fast Ethernet Stand-Alone Media Converters 10BASE-T or 100BASE-TX (RJ-45) [100 m/328 ft.] to 10BASE-FL or 100BASE-FX 1310nm TX / 1550nm RX single fiber single mode (SC) [20 km/12.4 miles] | 8 130,00  | A           | 10% | 7 320,00  |
| SSEFE1029-101  | Ethernet or Fast Ethernet Stand-Alone Media Converters 10BASE-T or 100BASE-TX (RJ-45) [100 m/328 ft.] to 10BASE-FL or 100BASE-FX 1550nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles] | 8 130,00  | A           | 10% | 7 320,00  |
| <b>10/100/1000 Ethernet Stand-Alone Media Converters</b> |   |           |             |     |           |
| SGFEB1013-100  | 10/100/1000 Ethernet Stand-Alone Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.]                   | 7 520,00  | A           | 10% | 6 770,00  |
| SGFEB1014-100  | 10/100/1000 Ethernet Stand-Alone Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm single mode (SC) [10 km/6.2 miles]  | 10 790,00 | A           | 10% | 9 720,00  |
| SGFEB1015-100  | 10/100/1000 Ethernet Stand-Alone Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm single mode (SC) [25 km/15.5 miles]   | 15 700,00 | A           | 10% | 14 130,00 |
| SGFEB1017-100  | 10/100/1000 Ethernet Stand-Alone Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1550nm single mode (SC) [65 km/40.4 miles]   | 41 290,00 | A           | 10% | 37 170,00 |
| SGFEB1024-100  | 10/100/1000 Ethernet Stand-Alone Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm Extended multimode (62.5/125µm fiber only) (SC) [2 km/1.2 miles]                      | 20 920,00 | A           | 10% | 18 830,00 |

| <b>fiberdata</b>                        |   |           |             |     |           |
|---|---|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |   |           |             |     |           |
| Prislista - gäller från 2008-11-18      |   |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |   |           |             |     |           |
| Artikelnummer                           | Benämning   | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| SGFEB1029-100                           | 10/100/1000 Ethernet Stand-Alone Media Converters<br>10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX<br>1310nm TX / 1550nm RX single fiber single mode (SC) [20<br>km/12.4 miles]                      | 18 050,00 | A           | 10% | 16 250,00 |
| SGFEB1029-101                           | 10/100/1000 Ethernet Stand-Alone Media Converters<br>10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX<br>1550nm TX / 1310nm RX single fiber single mode (SC) [20<br>km/12.4 miles]                      | 19 400,00 | A           | 10% | 17 460,00 |
| SGFEB1029-102                           | 10/100/1000 Ethernet Stand-Alone Media Converters<br>10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX<br>1310nm TX / 1550nm RX single fiber single mode (SC) [40<br>km/24.9 miles]                      | 21 970,00 | A           | 10% | 19 780,00 |
| SGFEB1029-103                           | 10/100/1000 Ethernet Stand-Alone Media Converters<br>10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX<br>1550nm TX / 1310nm RX single fiber single mode (SC) [40<br>km/24.9 miles]                      | 22 050,00 | A           | 10% | 19 850,00 |
| SGFEB1035-100                           | 10/100/1000 Ethernet Stand-Alone Media Converters<br>10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX<br>1550nm single mode (SC) [125 km/77.7 miles]  | 43 550,00 | A           | 10% | 39 200,00 |
| SGFEB1040-100                           | 10/100/1000 Ethernet Stand-Alone Media Converters<br>10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to SFP slot (empty)  | 7 260,00  | A           | 10% | 6 540,00  |
|   | <b>10/100/1000 Ethernet Remotely Managed Stand-Alone Media Converters</b>   |           |             |     |           |
| SMEFG1013-100                           | 10/100/1000 Ethernet Remotely Managed Stand-Alone Media<br>Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to<br>1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722<br>ft.; 50/125µm: 550 m/1804 ft.] | 11 180,00 | A           | 10% | 10 070,00 |

| <b>fiberdata</b>                        |  |           |             |     |           |
|---|--|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |  |           |             |     |           |
| Prislista - gäller från 2008-11-18      |  |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |  |           |             |     |           |
| Artikelnummer                           | Benämning  | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| SMEFG1014-100                           | 10/100/1000 Ethernet Remotely Managed Stand-Alone Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX-10 1310nm single mode (SC) [10 km/6.2 miles]                             | 12 920,00 | A           | 10% | 11 630,00 |
| SMEFG1015-100                           | 10/100/1000 Ethernet Remotely Managed Stand-Alone Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm single mode (SC) [30 km/18.6 miles]                               | 14 140,00 | A           | 10% | 12 730,00 |
| SMEFG1017-100                           | 10/100/1000 Ethernet Remotely Managed Stand-Alone Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1550nm single mode (SC) [65 km/40.4 miles]                               | 26 840,00 | A           | 10% | 24 160,00 |
| SMEFG1029-100                           | 10/100/1000 Ethernet Remotely Managed Stand-Alone Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-BX-U 1310nm TX / 1490nm RX single fiber single mode (SC) [20 km/12.4 miles] | 22 400,00 | A           | 10% | 20 160,00 |
| SMEFG1029-101                           | 10/100/1000 Ethernet Remotely Managed Stand-Alone Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-BX-D 1490nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles] | 23 710,00 | A           | 10% | 21 340,00 |
| SMEFG1029-102                           | 10/100/1000 Ethernet Remotely Managed Stand-Alone Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-BX-U 1310nm TX / 1490nm RX single fiber single mode (SC) [40 km/24.9 miles] | 26 320,00 | A           | 10% | 23 690,00 |
| SMEFG1029-103                           | 10/100/1000 Ethernet Remotely Managed Stand-Alone Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-BX-D 1490nm TX / 1310nm RX single fiber single mode (SC) [40 km/24.9 miles] | 27 630,00 | A           | 10% | 24 870,00 |
| SMEFG1035-100                           | 10/100/1000 Ethernet Remotely Managed Stand-Alone Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1550nm single mode (SC) [120 km/74.6 miles]                              | 45 990,00 | A           | 10% | 41 400,00 |

| <b>fiberdata</b>                        |  |           |             |     |           |
|---|--|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |  |           |             |     |           |
| Prislista - gäller från 2008-11-18      |  |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |  |           |             |     |           |
| Artikelnummer                           | Benämning  | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| SMEFG1040-100                           | 10/100/1000 Ethernet Remotely Managed Stand-Alone Media Converters 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-X SFP slot (empty)  | 9 350,00  | A           | 10% | 8 420,00  |
|   | <b>10/100/1000 Ethernet Remotely Managed Stand-Alone Converters</b>  |           |             |     |           |
| SMEFG1013-110                           | 10/100/1000 Ethernet Remotely Managed Stand-Alone Media Converters [with Optical DMI management] 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] | 12 220,00 | A           | 10% | 11 000,00 |
| SMEFG1014-110                           | 10/100/1000 Ethernet Remotely Managed Stand-Alone Media Converters [with Optical DMI management] 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX-10 1310nm single mode (SC) [10 km/6.2 miles]                               | 13 890,00 | A           | 10% | 12 510,00 |
| SMEFG1015-110                           | 10/100/1000 Ethernet Remotely Managed Stand-Alone Media Converters [with Optical DMI management] 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm single mode (SC) [30 km/18.6 miles]                                 | 15 180,00 | A           | 10% | 13 670,00 |
| SMEFG1029-110                           | 10/100/1000 Ethernet Remotely Managed Stand-Alone Media Converters [with Optical DMI management] 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-BX-U 1310nm TX / 1490nm RX single fiber single mode (SC) [20 km/12.4 miles]   | 23 450,00 | A           | 10% | 21 110,00 |
| SMEFG1029-111                           | 10/100/1000 Ethernet Remotely Managed Stand-Alone Media Converters [with Optical DMI management] 10/100/1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-BX-D 1490nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles]   | 24 750,00 | A           | 10% | 22 280,00 |
|   | <b>Gigabit Ethernet Stand-Alone Media Converters</b>   |           |             |     |           |

| <b>fiberdata</b>                        |   |           |         |     |           |
|---|---|-----------|---------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |   |           |         |     |           |
| Prislista - gäller från 2008-11-18      |   |           |         |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |   |           |         |     |           |
| Artikelnummer                           | Benämning   | Listpris  | Rbt-typ | Rbt | Nettopris |
| SGETF1013-105                           | Gigabit Ethernet Stand-Alone Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.]    | 5 710,00  | A       | 10% | 5 140,00  |
| SGETF1014-105                           | Gigabit Ethernet Stand-Alone Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm single mode (SC) [10 km/6.2 miles]                                     | 6 880,00  | A       | 10% | 6 200,00  |
| SGETF1015-105                           | Gigabit Ethernet Stand-Alone Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm single mode (SC) [25 km/15.5 miles]                                    | 14 580,00 | A       | 10% | 13 130,00 |
| SGETF1017-105                           | Gigabit Ethernet Stand-Alone Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1550nm single mode (SC) [65 km/40.4 miles]                                    | 27 810,00 | A       | 10% | 25 030,00 |
| SGETF1018-105                           | Gigabit Ethernet Stand-Alone Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-SX 850nm multimode (MT-RJ) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] | 5 710,00  | A       | 10% | 5 140,00  |
| SGETF1024-105                           | Gigabit Ethernet Stand-Alone Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm Extended multimode (62.5/125µm fiber only) (SC) [2 km/1.2 miles]       | 8 100,00  | A       | 10% | 7 290,00  |
| SGETF1029-105                           | Gigabit Ethernet Stand-Alone Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm TX / 1550nm RX single fiber single mode (SC) [20 km/12.4 miles]        | 16 090,00 | A       | 10% | 14 490,00 |
| SGETF1029-106                           | Gigabit Ethernet Stand-Alone Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1550nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles]        | 17 440,00 | A       | 10% | 15 700,00 |
| SGETF1029-107                           | Gigabit Ethernet Stand-Alone Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm TX / 1550nm RX single fiber single mode (SC) [40 km/24.9 miles]        | 20 010,00 | A       | 10% | 18 010,00 |

| <b>fiberdata</b>  |   |           |             |     |           |
|---|---|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>                                 |   |           |             |     |           |
| Prislista - gäller från 2008-11-18                              |   |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK.                         |   |           |             |     |           |
| Artikelnummer   | Benämning   | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| SGETF1029-108   | Gigabit Ethernet Stand-Alone Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1550nm TX / 1310nm RX single fiber single mode (SC) [40 km/24.9 miles]                      | 21 360,00 | A           | 10% | 19 230,00 |
| SGETF1035-105   | Gigabit Ethernet Stand-Alone Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1550nm single mode (SC) [125 km/77.7 miles]   | 38 330,00 | A           | 10% | 34 500,00 |
| SGETF1039-105   | Gigabit Ethernet Stand-Alone Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-SX 850nm multimode (LC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.]                  | 5 710,00  | A           | 10% | 5 140,00  |
| <b>Gigabit Ethernet Just Convert-IT™ Stand-Alone Converters</b> |   |           |             |     |           |
| J/GE-CF-01(LX1)   | Gigabit Ethernet Just Convert-IT™ Stand-Alone Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm single mode (SC) [10 km/6.2 miles]                                  | 8 490,00  | A           | 10% | 7 650,00  |
| J/GE-CF-01(LX2)   | Gigabit Ethernet Just Convert-IT™ Stand-Alone Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm single mode (SC) [25 km/15.5 miles]                                 | 9 620,00  | A           | 10% | 8 660,00  |
| J/GE-CF-01(LX6)   | Gigabit Ethernet Just Convert-IT™ Stand-Alone Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-LX 1310nm single mode (SC) [65 km/40.4 miles]                                 | 17 370,00 | A           | 10% | 15 640,00 |
| J/GE-CF-01(SX)  | Gigabit Ethernet Just Convert-IT™ Stand-Alone Media Converters 1000BASE-T (RJ-45) [100 m/328 ft.] to 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] | 3 440,00  | A           | 10% | 3 100,00  |
| <b>Gigabit Ethernet Stand-Alone Media Converters</b>            |   |           |             |     |           |

| <b>fiberdata</b> |  | <b>Priser VERVA, Transition</b>         |         |     |           |
|------------------|--|---|---------|-----|-----------|
|                  |  | Prislista - gäller från 2008-11-18      |         |     |           |
|                  |  | Valutakursen beräknad på 1 USD = 8 SEK. |         |     |           |
| Artikelnummer    | Benämning  | Listpris                                | Rbt-typ | Rbt | Nettopris |
| SFMFF1313-220    | Gigabit Ethernet Stand-Alone Media Converters [Class B] 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] | 8 580,00                                | A       | 10% | 7 730,00  |
| SFMFF1314-220    | Gigabit Ethernet Stand-Alone Media Converters [Class B] 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1310nm single mode (SC) [10 km/6.2 miles]                                  | 11 100,00                               | A       | 10% | 9 990,00  |
| SFMFF1315-220    | Gigabit Ethernet Stand-Alone Media Converters [Class B] 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1310nm single mode (SC) [25 km/15.5 miles]                                 | 19 590,00                               | A       | 10% | 17 640,00 |
| SFMFF1317-220    | Gigabit Ethernet Stand-Alone Media Converters [Class B] 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1550nm single mode (SC) [65 km/40.4 miles]                                 | 25 900,00                               | A       | 10% | 23 310,00 |
| SFMFF1324-220    | Gigabit Ethernet Stand-Alone Media Converters [Class B] 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1310nm Extended multimode (62.5/125µm fiber only) (SC) [2 km/1.2 miles]    | 18 280,00                               | A       | 10% | 16 460,00 |
| SFMFF1329-220    | Gigabit Ethernet Stand-Alone Media Converters [Class B] 1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1310nm TX / 1550nm RX single fiber single mode (SC) [20 km/12.4 miles]     | 17 110,00                               | A       | 10% | 15 400,00 |

| <b>fiberdata</b>  |   | <b>Priser VERVA, Transition</b>         |             |     |           |
|---|---|---|-------------|-----|-----------|
|   |   | Prislista - gäller från 2008-11-18      |             |     |           |
|   |   | Valutakursen beräknad på 1 USD = 8 SEK. |             |     |           |
| Artikelnummer   | Benämning   | Listpris                                | Rbt-<br>typ | Rbt | Nettopris |
| SFMFF1329-221   | Gigabit Ethernet Stand-Alone Media Converters [Class B]<br>1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1550nm TX / 1310nm RX single fiber single mode (SC) [20 km/12.4 miles] | 18 720,00                               | A           | 10% | 16 850,00 |
| SFMFF1329-222   | Gigabit Ethernet Stand-Alone Media Converters [Class B]<br>1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1310nm TX / 1550nm RX single fiber single mode (SC) [40 km/24.9 miles] | 21 890,00                               | A           | 10% | 19 710,00 |
| SFMFF1329-223   | Gigabit Ethernet Stand-Alone Media Converters [Class B]<br>1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1550nm TX / 1310nm RX single fiber single mode (SC) [40 km/24.9 miles] | 22 980,00                               | A           | 10% | 20 690,00 |
| SFMFF1335-220   | Gigabit Ethernet Stand-Alone Media Converters [Class B]<br>1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1550nm single mode (SC) [125 km/77.7 miles]                            | 33 900,00                               | A           | 10% | 30 510,00 |
| SFMFF1424-220   | Gigabit Ethernet Stand-Alone Media Converters [Class B]<br>1000BASE-LX 1310nm single mode (SC) [20 km/12.4 miles] to 1000BASE-LX 1310nm Extended multimode (62.5/125µm fiber only) (SC) [2 km/1.2 miles]                                | 19 790,00                               | A           | 10% | 17 820,00 |
| <b>Gigabit Ethernet Retiming Stand-Alone Media Converters</b> |   |   |             |     |           |
| SFMFF1314-280   | Gigabit Ethernet Retiming Stand-Alone Media Converters<br>1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722 ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1310nm single mode (SC) [10 km/6.2 miles]                               | 12 190,00                               | A           | 10% | 10 980,00 |

| <b>fiberdata</b>                        |   |           |             |     |           |
|---|---|-----------|-------------|-----|-----------|
| <b>Priser VERVA, Transition</b>         |   |           |             |     |           |
| Prislista - gäller från 2008-11-18      |   |           |             |     |           |
| Valutakursen beräknad på 1 USD = 8 SEK. |   |           |             |     |           |
| Artikelnummer                           | Benämning   | Listpris  | Rbt-<br>typ | Rbt | Nettopris |
| SFMFF1315-280                           | Gigabit Ethernet Retiming Stand-Alone Media Converters<br>1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722<br>ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1310nm single<br>mode (SC) [25 km/15.5 miles]                              | 21 760,00 | A           | 10% | 19 590,00 |
| SFMFF1317-280                           | Gigabit Ethernet Retiming Stand-Alone Media Converters<br>1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722<br>ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1550nm single<br>mode (SC) [65 km/40.4 miles]                              | 26 550,00 | A           | 10% | 23 900,00 |
| SFMFF1324-280                           | Gigabit Ethernet Retiming Stand-Alone Media Converters<br>1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722<br>ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1310nm Extended<br>multimode (62.5/125µm fiber only) (SC) [2 km/1.2 miles] | 20 280,00 | A           | 10% | 18 260,00 |
| SFMFF1329-280                           | Gigabit Ethernet Retiming Stand-Alone Media Converters<br>1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722<br>ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1310nm TX /<br>1550nm RX single fiber single mode (SC) [20 km/12.4 miles]  | 18 890,00 | A           | 10% | 17 010,00 |
| SFMFF1329-281                           | Gigabit Ethernet Retiming Stand-Alone Media Converters<br>1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722<br>ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1550nm TX /<br>1310nm RX single fiber single mode (SC) [20 km/12.4 miles]  | 20 800,00 | A           | 10% | 18 720,00 |
| SFMFF1329-282                           | Gigabit Ethernet Retiming Stand-Alone Media Converters<br>1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722<br>ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1310nm TX /<br>1550nm RX single fiber single mode (SC) [40 km/24.9 miles]  | 24 290,00 | A           | 10% | 21 870,00 |

| <b>fiberdata</b>     | <b>Priser VERVA, Transition</b>  |                 |                     |            |                  |
|----------------------|--|-----------------|---------------------|------------|------------------|
|                      | <b>Prislista - gäller från 2008-11-18</b>  |                 |                     |            |                  |
|                      | <b>Valutakursen beräknad på 1 USD = 8 SEK.</b>   |                 |                     |            |                  |
| <b>Artikelnummer</b> | <b>Benämning</b>   | <b>Listpris</b> | <b>Rbt-<br/>typ</b> | <b>Rbt</b> | <b>Nettopris</b> |
| SFMFF1329-283        | Gigabit Ethernet Retiming Stand-Alone Media Converters<br>1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722<br>ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1550nm TX /<br>1310nm RX single fiber single mode (SC) [40 km/24.9 miles] | 25 460,00       | A                   | 10%        | 22 920,00        |
| SFMFF1329-286        | Gigabit Ethernet Retiming Stand-Alone Media Converters<br>1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722<br>ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1510nm TX /<br>1590nm RX single fiber single mode (SC) [80 km/49.7 miles] | 32 120,00       | A                   | 10%        | 28 910,00        |
| SFMFF1329-287        | Gigabit Ethernet Retiming Stand-Alone Media Converters<br>1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722<br>ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1590nm TX /<br>1510nm RX single fiber single mode (SC) [80 km/49.7 miles] | 33 420,00       | A                   | 10%        | 30 080,00        |
| SFMFF1335-280        | Gigabit Ethernet Retiming Stand-Alone Media Converters<br>1000BASE-SX 850nm multimode (SC) [62.5/125µm: 220 m/722<br>ft.; 50/125µm: 550 m/1804 ft.] to 1000BASE-LX 1550nm single<br>mode (SC) [125 km/77.7 miles]                            | 37 300,00       | A                   | 10%        | 33 570,00        |